

ГОДИШНИК НА СОФИЙСКИЯ УНИВЕРСИТЕТ „СВ. КЛИМЕНТ ОХРИДСКИ“
БИОЛОГИЧЕСКИ ФАКУЛТЕТ
Книга 2 – Ботаника
Том 101, 2017

ANNUAL OF SOFIA UNIVERSITY “ST. KLIMENT OHRIDSKI”
FACULTY OF BIOLOGY
Book 2 – Botany
Volume 101, 2017

VASCULAR PLANT BIODIVERSITY OF THE NATURAL
NON-FOREST HABITATS IN THE NATURA 2000
PROTECTED SITES *KAMCHIA* (BG0000116) AND
SHKORPILOVTSI BEACH (BG0000100)

ALEXANDER N. TASHEV^{1*}, ANTONINA A. VITKOVA² & ALEXANDRA V.
ALEXANDROVA¹

¹ Faculty of Forestry, University of Forestry, 10 Kliment Ohridski Blvd., 1797 Sofia, Bulgaria

² Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences, 2 Gagarin
Str., 1113 Sofia, Bulgaria

Abstract. The current state of the vascular plant biodiversity of four natural non-forest habitats in the protected sites *Kamchia* and *Shkorpilovtsi Beach* was evaluated.

The study was carried out in the framework of the project *Mapping and determination of the environmental status of natural habitats and species – phase I*. Contract Nr. 04-014/05.04.2011.

Totally 96 species of vascular plants were recorded, 47 in *Kamchia* and 81 in *Shkorpilovtsi Beach*. Among them fifteen species were with conservation status. Due to the negative impact of the intensive development of tourism and urbanization, construction works, waste, camping and sand thickening, the future permanent monitoring of both sites is strongly recommended.

Key words: anthropogenic factors, Black Sea coast, flora, non-forest habitats, protected species, threatened species

*corresponding author: A. N. Tashev – Faculty of Forestry, University of Forestry, 10 Kliment Ohridski Blvd., 1797 Sofia, Bulgaria; altashev@abv.bg

INTRODUCTION

The coastal Natura 2000 protected sites *Kamchia* (BG0000116, 129 199.37 dka) and *Beach Shkorpilovtsi* (BG0000100, 51256.53 dka) were declared as such in 2007 (STATE GAZETTE № 107/2007). Both sites are protected according to DIRECTIVE 92/43/EEC (1992) (more popular as the Habitat Directive) and DIRECTIVE 2009/147/EC (Birds Directive) under the names *Complex Kamchia* (BG0002045) and *Kamchia Mountains* (BG0002044).

The plant biodiversity of *Complex Kamchia* was studied by IVANOV ET AL. (2002) who found 442 species from 79 families. Data on vascular plant species occurring as dominants or accompanying taxa were

Table 1. Geographical coordinates of the experimental plots (EP) in the non-forest natural habitats recorded in the Natura 2000 protected sites *Kamchia* (K) and *Shkorpilovtsi Beach* (S).

Experimental Plots	Geographical coordinates		Altitude [m]	Date
	N	E		
Geographical coordinates of phytocenological descriptions of natural habitat 1240				
EP 1 S	42.92084	27.89738	0	23.07.2011
Geographical coordinates of phytocenological descriptions of natural habitat 2110				
EP 1 K	42.98357	27.89254	0	1.08.2011
EP 2 K	42.98954	27.89139	0	1.08.2011
EP 3 K	43.01356	27.88931	0	2.08.2011
EP 4 S	42.94431	27.90174	0	21.07.2011
EP 5 S	42.95154	27.89968	2	22.07.2011
EP 6 S	42.92026	27.89664	1	23.07.2011
EP 7 S	42.97901	27.89347	6	25.07.2011
Geographical coordinates of phytocenological descriptions of natural habitat 2120				
EP1 K	43.02508	27.88885	2	2.08.2011
EP 2 K	43.02017	27.88876	4	2.08.2011
Geographical coordinates of phytocenological descriptions of natural habitat 2130				
EP 1 K	42.99013	27.88729	0	1.08.2011
EP 2 K	43.01715	27.88831	4	2.08.2011
EP 3 K	42.99861	27.88650	0	6.08.2011
EP 4 S	42.97836	27.89257	9	21.07.2011
EP 5 S	42.94812	27.90052	3	22.07.2011
EP 6 S	42.96499	27.89629	2	24.07.2011
EP 7 S	42.94899	27.89990	0	25.07.2011

provided by TZONEV ET AL. (2005) in a more general study of the psammophyte vegetation along the Black Sea coast. The conservation importance of plant diversity of the dune complexes of the Northern Black Sea coast was evaluated and lead to the classification of the outflow of the Kamchiya river as an Important Plant Area – IPA (PEEV ET AL. 2003, 2009). The aim of the present paper is to provide recent data on the vascular plant biodiversity of the non-forest natural habitats of both protected sites and its conservational significance.

MATERIAL AND METHODS

The field work was carried out in the period July-September 2011. The complete floristic inventory was done in 17 experimental plots (EP), each 16 m² (4x4 m). The plots were situated in the non-forest habitats of both sites. In addition, the cover of each taxon was evaluated by percent coverage and abundance after the scale of BRAUN-BLANQUET (1964). The identification of habitats was done according to KAVRUKOVA ET AL. (2008), Bulgarian Red Data Book (BISERKOV 2015) and the EUNIS classification. Choosing the places for description was done after visual evaluation of typical sectors within a plant community. GPS coordinates, including altitude, were scored for each EP with the dates of visits and descriptions (**Table 1**).

The plant taxa were identified according to JORDANOV (1963-1989), KUZMANOV (1979), VELCHEV (1982, 1989), KOŽUHAROV (1995), DELIPAVLOV & CHESHMEDZHIEV (2011) and KOŽUHAROV & ANCHEV (2012). The conservation status of each species was evaluated after the Red List of Bulgarian vascular plants (PETROVA & VLADIMIROV 2009), Bulgarian Red Data Book of plants and fungi (Peev 2015), BIOLOGICAL DIVERSITY ACT (ACT ON AMENDING AND SUPPLEMENTING) /2007/(Appendices №3 and 4, amended State Gazette №101/22.12.2015), DIRECTIVE 92/43/EC/21.05.1992 for conservation of natural habitats of the wild flora and fauna, CONVENTION ON THE CONSERVATION OF EUROPEAN WILDLIFE AND NATURAL HABITATS APPENDIX I. (Bern Convention 1979), List of Rare, Threatened and Endemic Plants in Europe (LUCAS 1983) and European Red List of Vascular Plants (BILS ET AL. 2011).

RESULTS

During this study four types of non-forest natural habitats were recorded: 1) Vegetated sea cliffs of the Mediterranean coasts with endemic *Limonium* spp. (1240). EUNIS: B3.3321 Western Pontic herbaceous sea-cliff communities; B3.3322 Western Pontic sea-cliff [*Ficus*] thickets; 2) Embryonic shifting dunes (2110). EUNIS: B1.313 Pontic embryonic dunes; 3) Shifting dunes along the shoreline with *Ammophila arenaria* (white dunes) (2120). EUNIS: B1.324 Pontic white dunes; 4) Fixed coastal dunes with herbaceous vegetation (grey dunes) (2130). EUNIS: Southwestern Pontic fixed dunes. Their conservational significance is shown in **Table 2**.

Table 2. Conservation significance of the natural habitats in the Natura 2000 protected areas Kamchia and Beach Shkorpilovtsi. Abbreviations: CN – Code Natura 2000, BDA – Biodiversity Act (2007), BC – Bern Convention (1979), D92 - Directive 92/43/EEC, BRDB - Bulgarian Red Data Book of habitats (BISERKOV 2015) with the following categories: EN – Endangered, CR – Critically Endangered, VU – Vulnerable, NT – Near Threatened.

Nº	Natural habitats	CN	BDA	BC	D92	BRDB
1	Vegetated sea cliffs of the Mediterranean coasts with endemic <i>Limonium</i> spp.	1240	+	-	+	EN
2	Embryonic shifting dunes	2110	+	+	+	EN
3	Shifting dunes along the shoreline with <i>Ammophila arenaria</i> (white dunes)	2120	+	+	+	EN
4	Fixed coastal dunes with herbaceous vegetation (grey dunes)	2130	+	+	+	EN

Table 3. Floristic and phytocenological characterization of natural habitat 1240 *Vegetated sea cliffs of the Mediterranean coasts with endemic Limonium* spp. in the experimental plot (EP1) in the protected site Beach Shkorpilovtsi.

№	Species	Abundance (after BRAUN-BLANQUET 1964)
		EP1
Trees		
1	<i>Gleditsia triacanthos</i> L.	1
2	<i>Robinia pseudoacacia</i> L.	+
3	<i>Ulmus minor</i> Mill.	+
Shrubs		
4	<i>Cionura erecta</i> (L.) Griseb.	1
5	<i>Colutea arborescens</i> L.	1
6	<i>Jasminum fruticans</i> L.	+
Herbaceous plants		
7	<i>Anthemis tinctoria</i> L.	+
8	<i>Atriplex hastata</i> L.	1 - 2
9	<i>Avena fatua</i> L.	+
10	<i>Bromus sterilis</i> L.	+
11	<i>Cardaria draba</i> (L.) Desv.	+
12	<i>Chenopodium album</i> L.	+
13	<i>Chenopodium opulifolium</i> Schred. ex Koch & Ziz	+

№	Species	Abundance (after BRAUN-BLANQUET 1964)
		EP1
14	<i>Chondrilla juncea</i> L.	+
15	<i>Convolvulus lineatus</i> L.	+
16	<i>Crithmum maritimum</i> L.	+
17	<i>Cynanchum acutum</i> L.	+ - 1
18	<i>Ecballium elaterium</i> (L.) A. Rich.	2
19	<i>Erysimum diffusum</i> Ehrh.	+
20	<i>Euphorbia agraria</i> M. Bieb.	+
21	<i>Goniolimon collinum</i> (Griseb.) Boiss.	+
22	<i>Hypericum perforatum</i> L.	+
23	<i>Lactuca tatarica</i> (L.) C. A. Mey.	+
24	<i>Lappula marginata</i> (M. Bieb.) Gurke	+
25	<i>Linaria genistifolia</i> (L.) Mill.	+
26	<i>Melica ciliata</i> L.	+
27	<i>Melilotus albus Medicus</i>	1 - 2
28	<i>Polygonum aviculare</i> L.	+
29	<i>Reseda lutea</i> L.	+
30	<i>Salsola ruthenica</i> Iljin	+
31	<i>Scabiosa argentea</i> L.	+
32	<i>Silene euxina</i> (Rupr.) Hand.-Mazz.	+
33	<i>Solanum nigrum</i> L.	+
34	<i>Sonchus oleraceus</i> L.	+
35	<i>Verbascum</i> sp.	+
36	<i>Xanthium italicum</i> Moretti	+
37	<i>Xeranthemum annuum</i> L.	+ - 1

All results on the vascular plant biodiversity obtained during the study are presented in **Tables 3-6** for each of the non-forest habitats of both protected sites, respectively. According to the number of species found in each of these habitats it could be stated that habitat 2130 had the highest plant biodiversity (46).

Totally 96 vascular plant species were recorded, 47 in *Kamchia* and 81 in *Shkorpilovtsi Beach*. Fifteen of these, or 16%, were of conservation importance, twelve of which occurred in the PS *Kamchia*, and thirteen – in the PS *Beach Shkorpilovtsi* (**Table 7**).

Table 4. Floristic and phytocoenological characterization of the natural habitat 2110 *Embryonic shifting dunes* in the experimental plots (EP) in the protected sites *Kamchia* (EP1K-EP3K) and *Beach Shkorpilovtsi* (EP4S-EP7S).

№	Species	Abundance (after BRAUN-BLANQUET 1964)						
		EP1K	EP2K	EP3K	EP4S	EP5S	EP6S	EP7S
Trees								
1	<i>Fraxinus oxyacarpa</i> M. Bieb. ex Willd.	-	-	-	-	-	+	-
Shrubs								
2	<i>Periploca graeca</i> L.	-	1	-	-	-	-	-
Herbaceous plants								
3	<i>Alyssum borzaeanum</i> Nyar.	+	r	+	-	-	-	-
4	<i>Ammophila arenaria</i> (L.) Link	+	+ - 1	+	+	+ - 1	2 - 3	1
5	<i>Anchusa velenovskyi</i> (Gusul.) Stoj.	-	r	-	-	-	-	-
6	<i>Artemisia campestris</i> L.	+	1	2	-	-	-	1
7	<i>Bromus tectorum</i> L.	-	-	-	+	-	-	-
8	<i>Cakile maritima</i> Scop.	-	-	-	-	-	+	-
9	<i>Carex ligerica</i> J. Gay	-	-	-	-	1	-	-
10	<i>Centaurea arenaria</i> M. Bieb.	+	+	+	+	-	-	+
11	<i>Chondrilla juncea</i> L.	-	-	-	-	+	+	-
12	<i>Cichorium intybus</i> L.	-	-	-	-	-	+	-
13	<i>Conium maculatum</i> L.	-	-	-	-	-	+	-
14	<i>Conyzia canadensis</i> (L.) Cronquist	-	-	-	-	-	+	-
15	<i>Crambe maritima</i> L.	+	+	-	+	+	1	+
16	<i>Elymus farctus</i> (Viv.) Runemark ex Melderis	1	1	1	-	2	-	+
17	<i>Eryngium maritimum</i> L.	2	+	-	+	+ - 1	+	1 - 2
18	<i>Euphorbia paralias</i> L.	+	-	-	-	-	-	-
19	<i>Euphorbia peplis</i> L.	+	-	+	-	+	+	-
20	<i>Galilea mucronata</i> (L.) Parl.	-	+	-	-	-	-	-
21	<i>Glaucium flavum</i> Crantz	-	-	-	-	-	+ - 1	-
22	<i>Jasione heldreichii</i> Boiss. & Orph.	+	+	-	-	-	-	-
23	<i>Jurinea albicaulis</i> Bunge	1 - 2	1 - 2	1	1	+	-	+ - 1
24	<i>Lactuca tatarica</i> (L.) C. A. Mey.	+ - 1	+	-	-	-	+ - 1	+
25	<i>Leymus racemosus</i> (Lam.) Tzvelev	1	1	+	1	+ - 1	-	1
26	<i>Linaria genistifolia</i> (L.) Mill.	+	r	+	+	+	+	+
27	<i>Medicago falcata</i> L.	-	-	-	2	+	+	-
28	<i>Medicago minima</i> (L.) Bartal.	-	-	-	-	-	+	-
29	<i>Melilotus albus</i> Medicus	-	-	-	-	-	+ - 1	-
30	<i>Peucedanum arenarium</i> Waldst. & Kit.	+	+	-	-	-	-	-

№	Species	Abundance (after BRAUN-BLANQUET 1964)						
		EP1K	EP2K	EP3K	EP4S	EP5S	EP6S	EP7S
31	<i>Plantago scabra</i> Moench	-	-	+	-	-	-	+
32	<i>Polygonum maritimum</i> L.	+	-	+	-	-	-	+
33	<i>Salsola ruthenica</i> Iljin	+	+	+ - 1	+	+	-	+
34	<i>Scabiosa argentea</i> L.	-	-	-	+	-	-	-
35	<i>Secale sylvestre</i> Host	+	-	-	+	-	-	-
36	<i>Silene euxina</i> (Rupr.) Hand.-Mazz.	+	+	+	+	+	-	-
37	<i>Silene thymifolia</i> Sm.	+	+	1	+ - 1	-	-	+
38	<i>Stachys maritima</i> Gouan	+	-	+	-	-	+	-
39	<i>Teucrium polium</i> L.	-	-	-	+	-	-	-
40	<i>Tragopogon</i> sp.	-	-	-	-	-	+	-
41	<i>Tribulus terrestris</i> L.	-	-	-	-	-	+	-
42	<i>Xanthium italicum</i> Moretti	+	-	+	+	+	+ - 1	+

Table 5. Floristic and phytocoenological characterization of the natural habitat 2120 *Shifting dunes along the shoreline with Ammophila arenaria (white dunes)* in the experimental plots (EP) in the protected site Kamchia (EP1K-EP2K).

№	Species	Abundance (after BRAUN-BLANQUET 1964)	
		EP1K	EP2K
Shrubs			
1	<i>Amorpha fruticosa</i> L.	+	-
Herbaceous plants			
2	<i>Ammophila arenaria</i> (L.) Link	2-3	2
3	<i>Artemisia campestris</i> L.	-	1
4	<i>Centaurea arenaria</i> M. Bieb.	-	+
5	<i>Elymus farctus</i> (Viv.) Runemark ex Melderis	-	+ - 1
6	<i>Eryngium maritimum</i> L.	1	+
7	<i>Euphorbia peplis</i> L.	-	+
8	<i>Lactuca tatarica</i> (L.) C. A. Mey.	1 - 2	1
9	<i>Leymus racemosus</i> (Lam.) Tzvelev	+	+ - 1
10	<i>Phragmites australis</i> (Cav.) Trin. ex Steud.	+	-
11	<i>Salsola ruthenica</i> Iljin	-	+
12	<i>Xanthium italicum</i> Moretti	+	+

Table 6. Floristic and phytocoenological characterization of the natural habitat 2130 *Fixed coastal dunes with herbaceous vegetation (grey dunes)* in the experimental plots (EP) in the protected areas Kamchia (EP1K-EP3K) and Beach Shkorpilovtsi (EP4S-EP7S).

№	Species	Abundance (after BRAUN-BLANQUET 1964)						
		EP1K	EP2K	EP3K	EP4S	EP5S	EP6S	EP7S
Trees								
1	<i>Pyrus pyraster</i> Burgsd.	-	-	+	-	-	-	-
Shrubs								
2	<i>Chamaecytisus heuffelii</i> (Wierzb.) Rothm.	-	-	-	-	-	+	-
3	<i>Crataegus monogyna</i> Jacq.	-	-	+	-	-	-	-
Herbaceous plants								
4	<i>Agrostis capillaris</i> L.	-	-	1	-	-	-	-
5	<i>Allium flavum</i> L.	-	-	-	-	-	-	+
6	<i>Allium</i> sp.	+	-	+	-	-	-	+
7	<i>Alyssum borzaeanum</i> Nyar.	-	2 - 3	-	1	+	1	+
8	<i>Artemisia campestris</i> L.	1 - 2	1	2	1	-	1 - 2	-
9	<i>Aurinia uechtritziana</i> (Bornm.) Cullen & Dudley	1 - 2	+	-	1	-	+	+ - 1
10	<i>Bromus tectorum</i> L.	-	-	-	-	+	-	+
11	<i>Carex ligerica</i> J. Gay	+ - 1	-	-	-	-	+	3
12	<i>Centaurea arenaria</i> M. Bieb.	+	-	2	+	+	+	+ - 1
13	<i>Cerastium</i> sp.	+	-	-	-	-	-	-
14	<i>Chondrilla juncea</i> L.	-	-	+ - 1	-	+	-	1 - 2
15	<i>Chrysopogon gryllus</i> (L.) Trin.	-	-	1 - 2	-	-	-	-
16	<i>Conyza canadensis</i> (L.) Cronquist	-	-	-	-	-	-	+
17	<i>Daucus guttatus</i> Sm.	-	-	-	-	-	-	+
18	<i>Erysimum diffusum</i> Ehrh.	-	-	+	-	-	-	-
19	<i>Festuca valesiaca</i> Schleich. ex Gaudin	+ - 1	-	-	-	-	-	-
20	<i>Galilea mucronata</i> (L.) Parl.	-	-	-	2	2	1 - 2	-
21	<i>Gnaphalium luteo-album</i> L.	+	-	-	-	-	-	+
22	<i>Iris pumila</i> L.	-	-	+	-	-	-	-
23	<i>Jasione heldreichii</i> Boiss. & Orph.	+ - 1	+ - 1	2	+ - 1	2	1 - 2	1 - 2
24	<i>Jurinea albicaulis</i> Bunge	-	+	-	+ - 1	1 - 2	1	1
25	<i>Lactuca serriola</i> L.	-	-	-	-	-	-	+
26	<i>Lerchenfeldia flexuosa</i> (L.) Schur	-	-	-	+	-	-	-
27	<i>Linaria genistifolia</i> (L.) Mill.	+	+	+	+	+	+	-
28	<i>Linum tauricum</i> Willd.	-	-	-	-	+	-	-
29	<i>Medicago falcata</i> L.	-	-	-	-	+	+	+

№	Species	Abundance (after BRAUN-BLANQUET 1964)						
		EP1K	EP2K	EP3K	EP4S	EP5S	EP6S	EP7S
30	<i>Orobanche</i> sp.	-	-	+	-	-	-	-
31	<i>Papaver rhoeas</i> L.	-	-	-	+	-	-	+
32	<i>Papaver</i> sp.	-	-	-	-	+	+	-
33	<i>Peucedanum arenarium</i> Waldst. & Kit.	-	-	-	-	+	+	-
34	<i>Plantago scabra</i> Moench	-	-	-	-	+	-	-
35	<i>Rumex tenuifolius</i> (Wallr.) A. Love	+- 1	-	+	-	+	-	+
36	<i>Scabiosa argentea</i> L.	-	1	-	+- 1	+	+	-
37	<i>Secale sylvestre</i> Host	-	-	-	-	+	-	-
38	<i>Sideritis montana</i> L.	-	-	+	-	-	-	-
39	<i>Silene euxina</i> (Rupr.) Hand.-Mazz.	+	+	-	+	+	+	-
40	<i>Silene frivaldszkyana</i> Hampe	+	-	2	-	-	-	-
41	<i>Silene thymifolia</i> Sm.	-	1 - 2	-	+	1	+	-
42	<i>Stachys maritima</i> Gouan	-	-	-	-	-	+	-
43	<i>Teucrium polium</i> L.	-	+- 1	-	+	+	-	-
44	<i>Trifolium arvense</i> L.	-	-	-	-	-	-	1
45	<i>Xeranthemum annuum</i> L.	-	-	+	-	-	-	-
46	Bryophyta	-	4	5	3	-	-	-

Table 7. Conservation status of the species of higher plants established on the territory of the protected areas *Kamchia* and *Beach Shkorpilovtsi*: Abbreviations: BRDB - Bulgarian Red Data Book of Plants and Fungi (PEEV 2015) with the following categories: EN – Endangered, CR – Critically Endangered, VU – Vulnerable, NT – Near Threatened, E - List of Rare, Threatened and Endemic Plants in Europe (LUCAS 1983) for Bulgaria (E-BG) and Europe (E-EU) with I - Indeterminate and V - Vulnerable; EPL - European Red List of Vascular Plants (BILS ET AL. 2011) with the category Data Deficient – DD; EL2 – European List (2011); BE – Balkan Endemic, BDA – Biodiversity Act (2007), BC – Bern Convention (1979). Species indexed by 1 – the species was recorded on the territory of *Kamchia*; Index 2 – the species was recorded on the territory of *Beach Shkorpilovtsi*.

№	Species	BRDB	E-BG	E-EU	EPL	BE	BDA	BC
1 ^{1,2}	<i>Alyssum borzaeanum</i> Nyar.	EN	R	I	DD	-	+	+
2 ¹	<i>Anchusa velenovskyi</i> (Gusul.) Stoj.	-	-	-	-	+	+	-
3 ^{1,2}	<i>Aurinia uechtritziana</i> (Bornm.) Cullen & Dudley (Syn.: <i>Lepidotrichum uechtritziana</i> (Bornm.) Velen.)	EN	V	V	DD	-	+	+
4 ^{1,2}	<i>Centaurea arenaria</i> M. Bieb.	-	-	-	-	-	+	-
5 ²	<i>Convolvulus lineatus</i> L.	EN	-	-	-	-	+	-
6 ²	<i>Crithmum maritimum</i> L.	EN	-	-	-	-	-	-

Nº	Species	BRDB	E-BG	E-EU	EPL	BE	BDA	BC
7 ^{1,2}	<i>Eryngium maritimum</i> L.	EN	-	-	-	-	+	-
8 ^{1,2}	<i>Euphorbia peplis</i> L.	-	-	-	-	-	+	-
9 ^{1,2}	<i>Galilea mucronata</i> (L.) Parl. (Syn.: <i>Schoenus mucronatus</i> L.)	EN	-	-	-	-	-	-
10 ²	<i>Goniolimon collinum</i> (Griseb.) Boiss.	-	-	-	-	-	+	-
11 ^{1,2}	<i>Lactuca tatarica</i> (L.) C.A. Mey.	EN	-	-	-	-	+	-
12 ^{1,2}	<i>Silene euxina</i> (Rupr.) Hand.-Mazz.	EN	-	-	-	-	+	-
13 ¹	<i>Silene frivaldszkyana</i> Hampe	-	-	-	-	+	-	-
14 ^{1,2}	<i>Silene thymifolia</i> Sm.	EN	-	-	-	+	-	-
15 ^{1,2}	<i>Stachys maritima</i> Gouan	EN	-	-	-	-	+	-
	Total	10	2	2	2	3	11	2

DISCUSSION

The results obtained during this study confirm the rich biodiversity of vascular plants (96 species) and the natural conservation significance of all four non-forest natural habitats with 15 conservationally important plant species in both Natura 2000 protected sites *Kamchia* and *Shkorpilovtsi Beach*. However, the intensive development of tourism and urbanization, construction works, waste, camping and sand thickening could be outlined among the most important anthropogenic factors with a negative impact in the area. Therefore, the future permanent monitoring of both sites is strongly recommended.

CONFLICT OF INTERESTS

The authors declare that there is no conflict of interests regarding the publication of this article.

ACKNOWLEDGEMENTS

The field work was performed within the framework of the project *Mapping and determining the nature conservation status of natural habitats and species – Phase I*. Contract № 04-014/05.04.2011 – Position 6 *Mapping and determining the nature conservation status of higher plants, mosses and natural habitats*. The project was funded by European Fund for regional development of EU, Operational Programme Environment 2007-2013.

References

- BILS M., KELL S., MAXTED N. & LANSDON R. 2011. European Red List of Vascular Plants. <http://data.iucn.org/dbtw-wpd/edocs/RL-4-016.pdf> (Last assessed 15.05.2017)
- BIOLOGICAL DIVERSITY ACT (ACT ON AMENDING AND SUPPLEMENTING) 2007. Decree № 354 accepted by the 40th National Assembly on 1st November 2007. - State Gazette № 94/16.11.2007, 2-44 (In Bulgarian).
- BISERKOV V. (Ed.) 2015. Red Data Book of the Republic of Bulgaria. Vol. 3. Natural habitats. BAS & MoEW, Sofia, 422 pp.
- BRAUN-BLANQUET J. 1964. Pflanzen soziologie. Grundzüge der Vegetationskunde. Springer-Verlag, Wien and New York, 865 pp.
- CONVENTION ON THE CONSERVATION OF EUROPEAN WILDLIFE AND NATURAL HABITATS. Appendix I. 1979. http://www.lkp.org.pl/prawo_html/know_bernenska_zl.html (Retrieved on 2.04.2017).
- DELIPAVLOV D. & CHESHMEDZHIEV I. (Eds) 2011. Key to the Plants of Bulgaria. Academic Press, Agrarian University, Plovdiv, 591 pp. (In Bulgarian)
- DIRECTIVE 92/43/EEC. 1992. Council Directive 92/43/EEC on 21 May 1992 on the Conservation of Natural Habitats and of Wild Fauna and Flora. <http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:31992L0043> (Retrieved on 2.04.2017).
- DIRECTIVE 2009/147/EC. 2009. Council Directive 2009/147/EC on the conservation of wild birds. <https://www.npws.ie/directive-2009147ec-conservation-wild-birds-codified-version> (Retrieved on 12.04.2017).
- IVANOV D., FILIPOVA-MARINOVA M. & DIMITROV D. 2002. The flora and vegetation of Kamchia Nature Complex. - Annual of Sofia University "St. Kliment Ohridski", Faculty of Biology, Book 2-Botany 92: 39-67 (In Bulgarian).
- JORDANOV D. (Ed.) 1963. Flora Republicae Popularis Bulgaricae. Vol. 1. Aedibus Acad. Sci. Bulgaricae, Serdica, 509 pp. (In Bulgarian)
- JORDANOV D. (Ed.) 1964. Flora Republicae Popularis Bulgaricae. Vol. 2. Aedibus Acad. Sci. Bulgaricae, Serdica, 426 pp. (In Bulgarian)
- JORDANOV D. (Ed.) 1966. Flora Republicae Popularis Bulgaricae. Vol. 3. Aedibus Acad. Sci. Bulgaricae, Serdica, 638 pp. (In Bulgarian)
- JORDANOV D. (Ed.) 1970. Flora Republicae Popularis Bulgaricae. Vol. 4. Aedibus Acad. Sci. Bulgaricae, Serdica, 748 pp. (In Bulgarian)
- JORDANOV D. (Ed.) 1973. Flora Republicae Popularis Bulgaricae. Vol. 5. Aedibus Acad. Sci. Bulgaricae. Serdica, 444 pp. (In Bulgarian)
- JORDANOV D. (Ed.) 1976. Flora Republicae Popularis Bulgaricae. Vol. 6. Aedibus Acad. Sci. Bulgaricae. Serdica, 592 pp. (In Bulgarian)
- KAVRAKOVA, V., DIMOVA D., DIMITROV M., TZONEV R., BELEV T. & RAKOVSKA K. (Eds) 2009. Handbook for identification of habitats of European significance in Bulgaria. 2nd edn. WWF Danube-Carpathian Programme and Green Balkans

- Federation, Sofia, 131 pp. (In Bulgarian)
- KOŽUHAROV S. (Ed.) 1995. Flora Republicae Popularis Bulgaricae. Vol. 10. Aedibus Acad. Sci. Bulgaricae, Serdica, 428 pp. (In Bulgarian)
- KOŽUHAROV S. & ANCHEV M. (Eds) 2012. Flora Republicae Bulgaricae. Vol. 11. Serdica, Aedibus Acad. Sci. Bulgaricae, Serdica, 527 pp. (In Bulgarian)
- KUZMANOV B. (Ed.) 1979. Flora Republicae Popularis Bulgaricae. Vol. 7. Aedibus Acad. Sci. Bulgaricae, Serdica, 530 pp. (In Bulgarian)
- LUCAS G. 1983. List of rare, threatened and endemic plants in Europe. Strasburg, Council of Europe, Publications Section, 358 pp.
- PEEV D. (Ed.) 2015. Red Data Book of the Republic of Bulgaria. Vol. 1. Plants and Fungi. Sofia, BAS & MoEW, 881 pp.
- PEEV D., TZONEVA S. & VALYOVSKA N. 2003. Evaluation of conservation value and importance of plant biodiversity on the dune complexes of the Northern Black Sea coast. Sofia. Report to BSBCP (manuscript, in Bulgarian).
- PEEV D., PETROVA A., APOSTOLOVA I. & DELCHEVA M. 2009. Bulgaria. - In: RADFORD E. A. & B. ODE (Eds), Conserving important plant areas: Investing in the Green Gold of South Europe. Plantlife International, Salisbury, UK, 27-36.
- PETROVA A. & VLADIMIROV V. (Eds) 2009. Red List of Bulgarian vascular plants.- Phytologia Balcanica 15 (1): 63-94.
- STOYANOV N., STEFANOV B. & KITANOV B. 1966. Flora of Bulgaria, Vol. 1. Fourth updated edition, Nauka i Izkustvo, Sofia, 564 pp. (In Bulgarian)
- STOYANOV N., STEFANOV B. & KITANOV B. 1967. Flora of Bulgaria, Vol. 2. Fourth updated edition. Nauka i Izkustvo, Sofia, 1326 pp. (In Bulgarian)
- TZONEV R., DIMITROV M. & ROUSSAKOVA V. 2005. Dune vegetation of the Bulgarian Black Sea coast. - Hacquetia 4 (1): 7-32.
- VELCHEV V. (Ed.) 1982. Flora Reipublicae Popularis Bulgaricae. Vol. 8. Aedibus Acad. Sci. Bulgaricae, Serdica, 518 pp. (In Bulgarian)
- VELCHEV V. (Ed.) 1989. Flora Reipublicae Popularis Bulgaricae. Vol. 9. Aedibus Acad. Sci. Bulgaricae, Serdica, 541 pp. (In Bulgarian)

*Received 30 May 2017
Accepted 2 November 2017*