

ANNUAL OF SOFIA UNIVERSITY "ST. KLIMENT OHRIDSKI"

FACULTY OF BIOLOGY

Book 2 – Botany

Volume 100, 2015

ANNUAIRE DE L'UNIVERSITE DE SOFIA "ST. KLIMENT OHRIDSKI"

FACULTE DE BIOLOGIE

Livre 2 – Botanique

Tome 100, 2015

RED LIST OF BULGARIAN ALGAE. II. MICROALGAE.

MAYA P. STOYNEVA-GÄRTNER^{1*}, TSVETELINA ISHEVA², PLAMEN IVANOV¹,
BLAGOY UZUNOV¹ & PETYA DIMITROVA³

¹ *Department of Botany, Faculty of Biology, University of Sofia "St. Kliment Ohridski",
8 Dragan Tsankov Blvd., 1164 Sofia, Bulgaria*

² *Institute of Biodiversity and Ecosystem Research, Bulgarian Academy of Sciences,
2 Gagarin Str., 1113 Sofia, Bulgaria*

³ *Institute of Physiology and Genetics of Plants, Bulgarian Academy of Sciences,
Akad. Georgi Bonchev Str., bl. 21, 1113 Sofia, Bulgaria*

Abstract. The Red List presented in this paper is focused on Bulgarian non-marine microalgae which face a risk of extinction. The assignment to each IUCN Red List category is according to the seven specific criteria and their relative values in the new method for evaluation of the threatened status of microalgae (STOYNEVA-GÄRTNER ET AL., this volume). The list contains 756 taxa (613 species, 82 varieties and 61 forms) from 7 divisions, classified in six IUCN categories and shows that threatened microalgae represent 14% the total algal biodiversity of Bulgaria.

Key words: algae, Bulgaria, Red List, threatened species

* *corresponding author:* M. Stoyneva-Gärtner – Sofia University "St. Kliment Ohridski", Faculty of Biology, Department of Botany, 8 Dragan Tsankov Blvd, BG-1164, Sofia, Bulgaria; mstoyneva@uni-sofia.bg

In spite of having no legal definition, Red Lists are world-wide accepted valuable zoological tools for designating the threatened status of organisms, which face an extinction risk and for raising the public awareness for their conservation as well. However, algae, most probably due to their general belonging to the invisible with the *naked eye* microscopic world, have been rarely considered as threatened (e.g. KRAUSE 1984; RASSI & VÄISÄNEN 1987; GUTOWSKI & MOLLENHAUER 1996; KNAPPE ET AL. 1996; KUSEL-FETZMANN 1999; LANGE-BERTALOT & STEINDORF 1996; LENZENWEGER 1999; MOLLENHAUER & KRISTENSEN 1996; ENVIRONMENTAL AGENCY, JAPAN 2000; PALAMAR-MORDVINTSEVA & TSARENKO 2004; NÉMETH 2005; BLAŽENČIĆ ET AL. 2006; SIEMIŃSKA 2006) and only 92 taxa, mainly marine macroalgae, have been included in The IUCN Red List of Threatened Species, Version 2015–4.

In Bulgaria, the first Red List of macroalgae, based on standard IUCN criteria and categories, was published as a first part of general Red List of Bulgarian algae (TEMNISKOVA ET AL. 2008). The paper title (*Red List of Bulgarian Algae. I. Macroalgae*) clearly indicates the wish to create a second part oriented towards country's microscopic algae due to the recognition of their biodiversity and conservation importance. The task was extremely difficult because of the obstacles in applying the standard IUCN criteria to the microalgal taxa, using the recent knowledge on their distribution and taxonomy. Therefore the efforts of the author's team were devoted firstly towards the development of a new method for an objective evaluation of the threatened status of the microalgae (STOYNEVA-GÄRTNER ET AL., this volume). The Red List of microalgae presented in this paper is based on this method and was compiled after critical reading of all the references on their distribution in non-marine habitats of Bulgaria.

The Red List provided below is organized in a table format in the following way: 1) algal taxa in main taxonomic groups (after TEMNISKOVA & STOYNEVA 2011a,b), enlisted in alphabetical order according to their recently accepted taxonomic name (mainly after GUIRY & GUIRY 2016); 2) assigned IUCN threat category based on 3) the relative value of each of the seven criteria (A-G) fixed by STOYNEVA-GÄRTNER ET AL. (this volume), which practically gives the exact formula for each algal taxon and 4) its total counts (T). As it is proposed in the method description, in further publications or reports such formula could be used separately for each taxon: e.g. *Anabaena pirinica* Petkoff [CR – A3 B3 C4 D4 E4 F4 G4]. In case of special insistence on the level of the importance of the species due to its total counts, the formula could be expressed as *Anabaena pirinica* Petkoff [CR – A3 B3 C4 D4 E4 F4 G4 T25], or could be used in its short versions (e.g. *Anabaena pirinica* Petkoff [CR – T25], or *Anabaena pirinica* Petkoff [CR]).

According to the IUCN recommendations in the Guidelines for Application of IUCN Red List Criteria at Regional Levels (Versions 3.0, 2007 and 4.0., 2012)

we avoided the general categories ‘Extinct’ and ‘Extinct in the Wild’. Taking into account the lack of recent investigations in some of the localities, we decided to avoid also the category ‘Regional Extinct’ even for species, which have not been confirmed for the territory of Bulgaria during the last five (or more) decades. The other categories (Critically Endangered, Endangered, Vulnerable, Low Risk /Near Threatened, Least Concern/ and Data Deficient) were designated according to the total counts for each species, obtained after applying the seven criteria and their relative values proposed by STOYNEVA-GÄRTNER ET AL. (this volume). Due to the restricted volume of the paper, the synonyms are provided only for a few taxa, described from Bulgaria and references concerning the distribution of the included algae are enlisted only in the end of the paper. A special note has to be made for some *mesoalgae*, which could be visible macroscopically, but could not be identified even on generic level without a light microscope (e.g. *Oedogonium*, *Mougeotia*, *Zygnema*). Their representatives are included in the present list with one exception – *Spirogyra rhodopea* Petkoff, which has been enlisted as a Data Deficient species in TEMNISKOVA ET AL. (2008).

Since the recent algal biodiversity in Bulgaria is quite rich – ca. 5500 taxa (STOYNEVA 2014), a preliminary screening of the species was done by the author’s team in an effort to elucidate the most rarely reported algae in Bulgarian phycological literature since the first publications by ISTFANFFI (1890) and PETKOFF (1898A-C) till nowadays. Afterwards the chosen algae were evaluated according to the method of STOYNEVA-GÄRTNER ET AL. (this volume). Therefore it is possible to expect that further checking could outline more threatened microalgae in the country.

The proposed Red List of threatened Bulgarian non-marine microalgae contains 757 taxa (613 species, 83 varieties and 61 forms) from 7 divisions classified in six IUCN categories and the number of the threatened taxa in these categories and main taxonomic groups is shown below (**Tables 1-2**).

The number of threatened species, varieties and forms of microalgae in the present Red List shows that they comprise 14% of the total algal biodiversity of Bulgaria, and together with the 88 threatened macroalgae enlisted in TEMNISKOVA ET AL. (2008), they constitute 15% of all algae reported for the country.

Table 1. Distribution of threatened Bulgarian microalgae in taxonomic divisions and IUCN categories (CR – Critically Endangered, EN – Endangered, VU – Vulnerable, NT – Near Threatened, LC – Least Concern and DD – Data Deficient).

IUCN category	Cyano prokaryota	Euglenophyta	Pyrrhophyta	Ochromophyta	Haptophyta	Chlorophyta	Streptophyta	Total
CR	4 sp., 2 f.	1 sp.	–	10 sp., 2 var.	–	18 sp., 1 var., 3 f.	5 sp., 18 var., 17 f.	38 sp., 21 var., 22 f.
EN	24 sp., 1 var.	8 sp., 4 var., 4 f.	2 sp.	77 sp., 8 var., 1 f.	1 sp.	47 sp., 2 var., 1 f.	22 sp., 6 var., 2 f.	181 sp., 21 var., 8 f.
VU	20 sp.	10 sp.	–	114 sp., 8 var.	–	64 sp., 2 var.	49 sp., 8 var., 1 f.	257 sp., 18 var., 1 f.
NT	14 sp.	12 sp., 2 var.	2 sp.	31 sp.	–	25 sp., 1 var.	24 sp., 2 var.	108 sp., 5 var.
LC	1 sp.	1 sp.	–	1 sp.	–	–	–	3 sp.
DD	– – 1 f.	3 sp.	–	14 sp., 6 var.	–	5 sp., 5 var., 4 f.	4 sp., 6 var., 25 f.	26 sp., 17 var., 30 f.
Total	63 sp., 1 var., 3 f.	35 sp., 6 var., 4 f.	4 sp.	247 sp., 24 var., 1 f.	1 sp.	159 sp., 11 var., 8 f.	104 sp., 40 var., 45 f.	613 sp., 82 var., 61 f.

Table 2. Red List of Bulgarian microalgae: CS – conservation status (CR – Critically Endangered, EN – Endangered, VU – Vulnerable, NT – Near Threatened, LC – Least Concern, DD – Data Deficient); A–G – criteria in 1–4 categories (described in details in STOYNEVA-GÄRTNER ET AL., this volume), where: A – number of localities, B – affiliations to protected habitats of Bulgaria, C – affiliation to ecological category, D – affiliation to protected territories, E – endemism, F – general geographic distribution, G – expert weight and T – total counts. In quotes are given the original writing-outs of DD infraspecific taxa, which belong to species which have been taxonomically transferred, or taxa with author names which have been not found by the authors of this paper in the available taxonomic literature.

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
CYANOPROKARYOTA									
„ <i>Anabaena affinis</i> forma Petkoff“	DD	–	–	–	–	–	–	–	–
<i>Anabaena lapponica</i> Borge	VU	3	4	4	2	2	2	3	20
<i>Anabaena oscillarioides</i> f. <i>intermedia</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Anabaena pirinica</i> Petkoff	CR	3	3	4	4	4	4	4	26
<i>Aphanocapsa testacea</i> Nägeli	EN	3	4	4	4	1	4	4	24

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Aphanothece nidulans</i> Richter	EN	3	4	4	4	1	2	3	21
<i>Aulosira valkanovii</i> Draganov	EN	3	2	4	2	4	4	4	23
<i>Calothrix hollerbachii</i> Draganov	EN	4	1	4	1	4	4	4	22
<i>Calothrix thermalis</i> Hansgirg ex Bornet et Flahault	EN	4	3	4	3	1	4	4	23
<i>Chroococcus cohaerens</i> (Brébisson) Nägeli	NT	3	2	4	1	1	2	1	14
<i>Chroococcus helveticus</i> Nägeli	VU	4	1	4	3	1	4	1	18
<i>Chroococcus membraninus</i> (Meneghini) Nägeli	NT	4	3	4	1	1	2	1	16
<i>Chondrocystis dermochroa</i> (Nägeli) Komárek et Anagnostidis	VU	4	3	4	3	1	3	1	19
<i>Chroococcus westii</i> Boye-Petersen	EN	4	4	4	3	1	4	1	21
<i>Coleodesmium sagarmathae</i> Komárek et Watanabe	EN	3	4	4	4	1	4	3	23
<i>Coleodesmium wrangelii</i> ([Agardh] Bornet et Flahault) Borzi ex Geitler	VU	3	4	4	2	1	2	1	17
<i>Coelosphaerium aerugineum</i> Lemmermann	EN	4	4	4	3	1	2	4	22
<i>Cyanobacterium diachloros</i> (Skuja) Komárek, Kopecký et Cepák	EN	4	4	4	3	1	4	1	21
<i>Cylindrospermum alatosporum</i> Fritsch	EN	4	4	4	3	1	3	2	21
<i>Cylindrospermum dobrudjense</i> Draganov	EN	3	1	4	2	4	4	4	22
<i>Cylindrospermum marchicum</i> (Lemmermann) Lemmermann	VU	4	1	4	1	1	3	4	18
<i>Cylindrospermum urumoffii</i> Petkoff	CR	3	3	4	4	4	4	4	26
<i>Cylindrospermum voukii</i> Pevalek	NT	4	1	4	1	1	4	1	16
<i>Eucapsis minor</i> (Skuja) Elenkin	EN	3	4	4	2	1	4	4	22
<i>Eucapsis minuta</i> Fritsch	EN	3	4	4	2	1	4	3	21
<i>Gloeocapsa alpina</i> Nägeli	LC	1	1	2	2	1	1	1	9
<i>Gloeocapsa gelatinosa</i> Kützing	VU	4	3	4	3	1	2	1	18
<i>Gloeocapsa granosa</i> (Berkeley) Kützing	NT	4	1	4	1	1	4	1	16
<i>Gloeocapsa haematodes</i> (Kützing) Kützing	EN	3	4	4	4	1	4	1	21
<i>Gloeocapsopsis crepidinum</i> (Thuret) Geitler ex Komárek	NT	4	1	4	1	1	2	1	14
<i>Gloethece fuscolutea</i> (Nägeli ex Kützing) Nägeli	NT	3	2	4	2	1	3	1	16
<i>Gomphosphaeria virieuxii</i> Komárek et Hindák	VU	3	2	3	4	1	3	2	18
<i>Hapalosiphon fontinalis</i> Bornet	VU	4	4	4	3	1	2	1	19
<i>Jaaginema geminatum</i> (Meneghini ex Gomont) Anagnostidis et Komárek	NT	3	4	3	2	1	1	1	15
<i>Lemmermanniella pallida</i> (Lemmermann) Geitler	EN	4	4	4	4	1	3	2	22

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Lyngbya lutea</i> Gomont ex Gomont	VU	3	2	4	3	1	2	4	19
<i>Lyngbya martensiana</i> var. <i>mendenhalliana</i> Kol	EN	4	1	4	4	1	4	4	22
<i>Mastigocladus laminosus</i> Cohn ex Kirchner	VU	2	3	4	3	1	2	4	19
<i>Mastigocladus testarum</i> Lagerheim ex Bornet et Flahault	NT	4	1	4	1	1	2	1	14
<i>Merismopedia elegans</i> A. Braun	VU	3	4	4	2	1	2	3	19
<i>Merismopedia affixa</i> Richter	EN	3	4	4	4	1	3	4	23
<i>Merismopedia convoluta</i> Brébisson ex Kützing	NT	3	1	4	1	1	2	4	16
<i>Merismopedia insignis</i> Škorbatov	EN	3	2	4	4	1	4	3	21
<i>Merismopedia mediterranea</i> Nägeli	VU	3	1	4	1	1	3	4	17
<i>Microchaete grisea</i> Thuret ex Bornet et Flahault	NT	4	1	4	1	1	2	1	14
<i>Microcoleus anguiformis</i> Harvey ex Kirchner	VU	4	1	4	1	1	4	4	19
<i>Nostoc caeruleum</i> Lyngbye ex Bornet et Flahault	VU	4	1	4	1	1	3	4	18
<i>Nostoc carneum</i> (Lyngbye) Agardh ex Bornet et Flahault	NT	3	2	3	2	1	1	2	14
<i>Nostoc disciforme</i> Fritsch	EN	4	4	3	3	1	4	4	23
<i>Nostoc zetterstedtii</i> Areschoug	CR	4	4	4	4	1	4	4	25
<i>Oscillatoria formosa</i> f. <i>nalbanthis</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Oscillatoria annae</i> Van Goor	VU	3	4	4	2	1	2	2	18
<i>Oscillatoria dzeman-sor</i> Woronichin	NT	4	1	4	1	1	4	1	16
<i>Phormidium bulgaricum</i> (Komárek) Anagnostidis et Komárek	EN	3	4	4	2	1	4	4	22
<i>Phormidium molischii</i> (Vouk) Anagnostidis et Komárek	EN	4	3	4	1	1	4	4	21
<i>Phormidium willei</i> (Gardner) Anagnostidis et Komárek	NT	3	1	4	2	1	2	1	14
<i>Rivularia rufescens</i> Nägeli ex Bornet et Flahault	EN	4	4	4	3	1	4	4	24
<i>Romeria alascensis</i> (Hortobágyi et Hilliard) Komárek	VU	3	2	4	2	1	4	1	17
<i>Scytonema bewsii</i> Fritsch et Rich	VU	4	4	4	1	1	4	1	19
<i>Scytonema cincinatum</i> (Kützing) Thuret ex Bornet et Flahault	EN	4	3	4	3	1	2	4	21
<i>Scytonema mirabile</i> [Dillwyn] Bornet	NT	2	2	4	2	1	3	1	15
<i>Stigonema mamillosum</i> (Lyngbye) Agardh et Bornet et Flahault	VU	4	1	4	4	1	2	1	17
<i>Scytonematopsis slarmachii</i> Kováčik et Komárek	CR	4	4	4	4	1	4	4	25

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Stigonema turfaceum</i> Cooke ex Bornet et Flahault	VU	4	3	4	1	1	3	2	18
<i>Symploca thermalis</i> Gomont	EN	4	3	4	3	1	4	4	23
<i>Tolypothrix calcarata</i> Schmidle	VU	4	4	3	1	1	4	3	20
<i>Tolypothrix saviczii</i> Kossinskaja	EN	3	4	4	2	1	4	4	22
EUGLENOPHYTA									
<i>Astasia bulgarica</i> Mihajlow	DD	–	–	–	–	–	–	–	–
<i>Astasia sophiensis</i> Mihajlow	DD	–	–	–	–	–	–	–	–
<i>Phacus abrupta</i> Korshikov	VU	4	4	4	1	1	4	1	19
<i>Phacus angustus</i> Drezepolski	VU	4	4	4	1	1	4	1	19
<i>Phacus anomalus</i> Fritsch et Rich	NT	4	1	4	1	1	3	1	15
<i>Phacus curvicauda</i> f. <i>robusta</i> Allorge et Lefèvre	EN	4	4	4	4	1	4	1	22
<i>Phacus ichthydion</i> Pochmann	EN	4	4	4	4	1	3	1	21
<i>Phacus inconspicuus</i> Deflandre	VU	3	4	4	2	1	2	1	17
<i>Phacus inflexus</i> (Kisselev) Pochmann	NT	4	1	4	1	1	3	1	15
<i>Phacus janiczakii</i> Stawinski	EN	4	4	4	4	1	4	1	22
<i>Phacus monilatus</i> var. <i>suecicus</i> Lemmermann	NT	3	2	4	2	1	1	1	14
<i>Phacus onyx</i> Pochmann	VU	4	4	4	4	1	2	1	20
<i>Phacus oscillans</i> Klebs	VU	4	1	4	1	1	3	4	18
<i>Phacus pleuronectes</i> f. <i>gigas</i> (Da Cunha) Popova	EN	4	4	4	4	1	3	1	21
<i>Phacus polytrophos</i> Pochmann	NT	3	1	4	1	1	3	1	14
<i>Phacus pomiformis</i> (Conrad) Pochmann	EN	4	4	4	3	1	4	3	23
<i>Phacus swirenkoi</i> Skvortzov	NT	4	1	4	1	1	4	1	16
<i>Strombomonas asymmetrica</i> (Roll) Popova	NT	3	2	4	2	1	2	1	15
<i>Strombomonas balvayi</i> Bourrelly et Couté	NT	3	1	4	1	1	4	1	15
<i>Strombomonas jaculata</i> (Palmer) Deflandre	NT	3	1	4	1	1	4	1	15
<i>Strombomonas morenensis</i> Balech et Daštugue	VU	3	2	4	2	1	4	1	17
<i>Strombomonas praeliariis</i> var. <i>amphora</i> Kirjakov	EN	4	1	4	1	4	4	4	22
<i>Strombomonas vermontii</i> f. <i>commune</i> Popova	EN	4	4	4	1	1	4	4	22
<i>Strombomonas vodenicarovii</i> Kirjakov	EN	4	1	4	1	4	4	4	22
<i>Trachelomonas acanthophora</i> var. <i>speciosa</i> (Deflandre) Balech	EN	4	4	4	4	1	3	1	21
<i>Trachelomonas acanthostoma</i> var. <i>europaea</i> Drezepolski	NT	4	1	4	1	1	4	1	16
<i>Trachelomonas alisoviana</i> Skvortzov	NT	4	1	4	1	1	4	1	16
<i>Trachelomonas elegans</i> Conrad	EN	4	4	4	4	1	4	1	22

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Trachelomonas formosa</i> (Skvortzov) Deflandre	EN	4	4	4	4	1	4	1	22
<i>Trachelomonas laticollis</i> Kotlar	EN	4	4	4	4	1	4	1	22
<i>Trachelomonas obtusa</i> Palmer	NT	3	1	4	1	1	3	1	14
<i>Trachelomonas ovoides</i> Conrad	VU	4	1	4	1	1	4	4	19
<i>Trachelomonas mirabilis</i> var. <i>helvetica</i> Huber-Pestalozzi	EN	4	4	4	4	1	4	1	22
<i>Trachelomonas pascherii</i> Valkanov	DD	–	–	–	–	–	–	–	–
<i>Trachelomonas perforata</i> Averintsev	NT	4	1	4	1	1	4	1	16
<i>Trachelomonas pseudobulla</i> Svirenko	LC	4	1	1	1	1	2	1	11
<i>Trachelomonas rhodopensis</i> Valkanov	CR	4	4	4	4	4	4	4	28
<i>Trachelomonas rugulosa</i> Stein	NT	3	2	4	2	1	2	1	15
<i>Trachelomonas scabra</i> var. <i>ovata</i> Playfair	EN	4	4	4	4	1	3	1	21
<i>Trachelomonas stokesiana</i> Palmer	VU	3	4	4	2	1	2	1	17
<i>Trachelomonas szabadosiana</i> Huber- Pestalozzi	NT	4	1	4	1	1	4	1	16
<i>Trachelomonas vas</i> Deflandre	EN	4	4	4	4	1	3	1	21
<i>Trachelomonas verrucosa</i> f. <i>sparseornata</i> Deflandre	EN	4	4	4	4	1	4	1	22
<i>Trachelomonas woycickii</i> Kosczwara	VU	3	4	4	2	1	2	1	17
<i>Trachelomonas zorensis</i> Deflandre	VU	4	4	4	1	1	4	1	19
PYRRHOPHYTA									
<i>Cystodinium cornifax</i> (Schilling) Klebs	NT	3	2	4	2	1	2	1	15
<i>Katodinium planum</i> (Fott) Loeblich III	EN	4	4	4	4	1	3	1	21
<i>Tetradinium intermedium</i> Geitler	EN	4	4	4	3	1	4	3	23
<i>Hemidinium nasutum</i> Stein	NT	3	2	4	2	1	2	1	15
OCHROPHYTA									
BACILLARIOPHYCEAE									
<i>Achnantheidium caledonicum</i> (Lange- Bertalot) Lange-Bertalot	EN	4	3	4	4	1	2	3	21
<i>Achnantheidium daonense</i> (Lange-Bertalot) Lange-Bertalot, Monnier et Ector	NT	2	2	4	3	1	1	2	15
<i>Achnantheidium helveticum</i> (Hustedt) Monnier, Lange-Bertalot et Ector	NT	2	2	4	3	1	1	1	14
<i>Achnantheidium kranzii</i> (Lange-Bertalot) Round et Bukhtiyarova	EN	4	3	4	4	1	2	3	21
<i>Achnantheidium kryophila</i> (Petersen) Bukhtiyarova	EN	3	3	4	4	1	2	4	21
<i>Achnantheidium lineare</i> W. Smith	NT	2	2	4	2	1	1	1	13
<i>Achnantheidium subatomoides</i> (Hustedt) Monnier, Lange-Bertalot et Ector	NT	2	2	4	2	1	1	1	13

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Achnanthidium subatomus</i> (Hustedt) Lange-Bertalot	NT	2	2	4	2	1	1	2	14
<i>Achnanthidium temnikovae</i> Ivanov et Ector	CR	3	4	4	3	4	4	4	26
<i>Achnanthidium ventralis</i> (Krasske) Haworth et Kelly	EN	4	3	4	4	1	2	3	21
<i>Adlafia bryophila</i> (Petersen) Moser, Lange- Bertalot et Metzeltin	VU	3	3	4	4	1	2	2	19
<i>Adlafia suchlandtii</i> (Hustedt) Lange- Bertalot	EN	4	3	4	4	1	2	3	21
<i>Amphora eximia</i> Carter	VU	3	3	4	3	1	2	3	19
<i>Aneumastus stroesei</i> (Østrup) Mann et Stickle	VU	4	3	4	3	1	2	2	19
<i>Aulacoseira alpigena</i> (Grunow) Krammer	VU	2	3	4	4	1	2	2	18
<i>Aulacoseira distans</i> (Ehrenberg) Simonsen	EN	4	3	4	4	1	2	3	21
<i>Aulacoseira pfaffiana</i> (Reinsch) Krammer	VU	3	3	4	4	1	2	3	20
<i>Aulacoseira valida</i> (Grunow) Krammer	EN	4	3	4	4	1	2	4	22
<i>Boreozonacola hustedtii</i> Lange-Bertalot, Kulikovskiy et Witkowski	EN	3	3	4	4	1	2	4	21
<i>Brachysira neoexilis</i> Lange-Bertalot	VU	3	3	4	4	1	2	2	19
<i>Brachysira styriaca</i> (Grunow) Ross	VU	4	3	4	3	1	2	3	20
<i>Caloneis dubia</i> Krammer	VU	4	3	4	3	1	2	3	20
<i>Caloneis lauta</i> Carter et Bailey-Watts	EN	4	3	4	4	1	2	3	21
<i>Caloneis schumanniana</i> (Grunow) Cleve	EN	4	3	4	4	1	2	3	21
<i>Caloneis tenuis</i> (Gregory) Krammer	VU	3	3	4	3	1	1	2	17
<i>Campylodiscus hibernicus</i> Ehrenberg	DD	–	–	–	–	–	–	–	–
<i>Cavinula cocconeiformis</i> (Gregory) Mann et Stickle	VU	3	3	4	4	1	2	3	20
<i>Cavinula lapidosa</i> (Krasske) Lange-Bertalot	VU	3	3	4	4	1	2	3	20
<i>Cavinula pseudoscutiformis</i> (Hustedt) Mann et Stickle	VU	3	3	4	3	1	2	3	19
<i>Cavinula variostrata</i> (Krasske) Mann et Stickle	VU	3	3	4	3	1	2	2	18
<i>Cavinula weinzierlii</i> (Schimanski) Czarnecki	CR	4	4	4	4	1	4	4	25
<i>Chamaepinnularia schaupiana</i> Lange- Bertalot et Metzeltin	EN	4	4	4	4	1	2	3	22
<i>Chamaepinnularia soehrensensis</i> var. <i>hassica</i> (Krasske) Lange-Bertalot	EN	4	4	4	4	1	2	3	22
<i>Cocconeis disculus</i> (Schumann) Cleve	VU	3	3	4	3	1	2	3	19
<i>Cocconeis neodiminuta</i> Krammer	VU	3	3	4	3	1	2	1	17
<i>Ctenophora pulchella</i> var. <i>lacerata</i> (Hustedt) Bukhtiyarova	DD	–	–	–	–	–	–	–	–
<i>Ctenophora pulchella</i> var. <i>lanceolata</i> (O'Meara) Bukhtiyarova	DD	–	–	–	–	–	–	–	–

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Cymbella aspera</i> (Ehrenberg) Cleve	NT	2	2	4	2	1	1	1	13
<i>Cymbella huštedtii</i> Krasske	VU	3	3	4	3	1	2	2	18
<i>Cymbella orientalis</i> var. <i>delicatula</i> Stancheva et Ivanov	CR	4	4	4	3	4	4	4	27
<i>Cymbopleura amphicephala</i> (Nägeli) Krammer	NT	2	2	4	2	1	1	1	13
<i>Cymbopleura anglica</i> (Lagerstedt) Krammer	VU	3	3	4	3	1	2	2	18
<i>Cymbopleura subaequalis</i> (Grunow) Krammer	VU	3	3	4	4	1	2	3	20
<i>Cymbopleura subaequalis</i> var. <i>alpestris</i> Krammer	EN	4	3	4	4	1	2	3	21
<i>Cymbopleura subcuspidata</i> (Krammer) Krammer	VU	3	3	4	3	1	2	2	18
<i>Decussata hexagona</i> (Torka) Lange-Bertalot	CR	4	4	4	4	1	4	4	25
<i>Diploneis fontium</i> Reichardt et Lange- Bertalot	VU	4	3	4	3	1	2	2	19
<i>Diploneis parva</i> Cleve	VU	3	3	4	3	1	2	2	18
<i>Encyonema brevicapitatum</i> Krammer	EN	4	4	4	4	1	2	2	21
<i>Encyonema gaeumannii</i> (Meister) Krammer	NT	3	2	4	2	1	2	2	16
<i>Encyonema hebridicum</i> (Gregory) Grunow	EN	4	3	4	4	1	2	3	21
<i>Encyonema mesianum</i> (Cholnoky) Mann	NT	3	2	4	2	1	2	2	16
<i>Encyonema neogracile</i> Krammer	VU	2	3	4	3	1	2	2	17
<i>Encyonema perpusillum</i> (Cleve) Mann	VU	3	3	4	4	1	2	2	19
<i>Encyonema reichardtii</i> (Krammer) Mann	NT	3	3	4	3	1	1	1	16
<i>Encyonema rostratum</i> Krammer	EN	4	3	4	4	1	2	3	21
<i>Encyonopsis falaisensis</i> (Grunow) Krammer	NT	2	3	4	3	1	1	1	15
<i>Encyonopsis krammeri</i> Reichardt	EN	4	3	4	4	1	2	3	21
<i>Encyonopsis naviculoides</i> (Huštedt) Krammer	VU	4	3	4	3	1	2	2	19
<i>Epithemia adnata</i> var. <i>saxonica</i> (Kützing) Patrick	DD	–	–	–	–	–	–	–	–
<i>Epithemia adnata</i> var. <i>porcellus</i> (Kützing) Patrick	DD	–	–	–	–	–	–	–	–
<i>Eucocconeis flexella</i> (Kützing) Meister	VU	3	3	4	3	1	2	3	19
<i>Eucocconeis quadratarea</i> (Østrup) Lange- Bertalot	VU	3	3	4	4	1	2	3	20
<i>Eunotia arculus</i> (Grunow) Lange-Bertalot et Nörpel	VU	3	3	4	4	1	2	3	20
<i>Eunotia arcus</i> Ehrenberg	EN	4	3	4	4	1	2	4	22

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Eunotia boreoalpina</i> Lange-Bertalot et Nörpel-Schempp	VU	3	3	4	4	1	2	2	19
<i>Eunotia diadema</i> Ehrenberg	EN	3	3	4	3	1	4	4	22
<i>Eunotia diodon</i> Ehrenberg	EN	3	4	4	3	1	2	4	21
<i>Eunotia faba</i> (Ehrenberg) Grunow	EN	3	4	4	3	1	2	4	21
<i>Eunotia flexuosa</i> Kützing	VU	3	3	4	4	1	2	3	20
<i>Eunotia flexuosa</i> var. <i>rilensis</i> Kawecka	CR	4	4	4	4	4	4	4	28
<i>Eunotia groenlandica</i> (Grunow) Nörpel-Schempp et Lange-Bertalot	VU	3	3	3	3	1	2	2	17
<i>Eunotia implicata</i> Nörpel, Lange-Bertalot et Alles	VU	3	3	4	3	1	2	2	18
<i>Eunotia inflata</i> (Grunow) Norpel-Schempp et Lange-Bertalot	VU	3	3	4	4	1	2	2	19
<i>Eunotia monodon</i> Ehrenberg	VU	3	3	4	3	1	2	3	19
<i>Eunotia mucophila</i> (Lange-Bertalot, Nörpel et Alles) Lange-Bertalot	EN	3	3	4	4	1	2	4	21
<i>Eunotia paludosa</i> Grunow	VU	3	3	4	3	1	2	2	18
<i>Eunotia pectinalis</i> (Kützing) Rabenhorst	VU	3	3	4	3	1	2	2	18
<i>Eunotia pseudopectinalis</i> Hustedt	EN	3	3	4	4	1	4	4	23
<i>Eunotia rhomboidea</i> Hustedt	VU	3	3	4	4	1	2	3	20
<i>Eunotia sudetica</i> Müller	EN	4	4	4	3	1	2	3	21
<i>Eunotia tenella</i> (Grunow) Hustedt	VU	3	4	4	3	1	2	2	19
<i>Eunotia triodon</i> Ehrenberg	EN	3	3	4	4	1	2	4	21
<i>Eunotia valida</i> Hustedt	VU	3	4	4	3	1	2	2	19
<i>Fragilaria alpestris</i> Krasske	VU	3	4	4	3	1	2	2	19
<i>Fragilaria amphicephaloides</i> Lange-Bertalot	VU	3	3	4	3	1	2	2	18
<i>Fragilaria tenera</i> (Smith) Lange-Bertalot	VU	3	3	4	4	1	2	2	19
<i>Frustulia crassinervia</i> (Brébisson) Lange-Bertalot et Krammer	VU	3	3	4	3	1	2	3	19
<i>Frustulia rhomboides</i> (Ehrenberg) De Toni	VU	3	3	4	3	1	1	2	17
<i>Frustulia saxonica</i> Rabenhorst	VU	3	3	4	3	1	1	3	18
<i>Genkalia boreoalpina</i> Wojtal, Wetzal, Ector, Ognjanova-Rumenova et Buczkó	EN	4	3	4	4	1	2	3	21
<i>Genkalia digitulus</i> (Hustedt) Lange-Bertalot et Kulikovskiy	VU	3	3	4	3	1	2	3	19
<i>Gomphonema acidoclinatum</i> Lange-Bertalot et Reichardt	NT	2	2	4	3	1	1	1	14
<i>Gomphonema amoenum</i> Lange-Bertalot	VU	3	3	4	3	1	2	3	19
<i>Gomphonema angustum</i> Agardh	NT	3	3	4	2	1	1	1	15
<i>Gomphonema carolinense</i> Hagelstein	EN	4	3	4	3	1	4	3	22
<i>Gomphonema exilissimum</i> (Grunow) Lange-Bertalot et Reichardt	NT	2	2	4	2	1	1	1	13

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Gomphonema gracile</i> Ehrenberg	VU	2	3	4	3	1	2	2	17
<i>Gomphonema hebridense</i> Gregory	VU	3	3	4	4	1	2	2	19
<i>Gomphonema intricatum</i> Kützing	VU	3	3	4	3	1	2	2	18
<i>Gomphonema lateripunctatum</i> Reichardt et Lange-Bertalot	VU	3	3	4	3	1	2	2	18
<i>Gomphonema neonasutum</i> Lange-Bertalot et Reichardt	VU	4	3	4	3	1	2	3	20
<i>Gomphonema parvulus</i> (Lange-Bertalot et Reichardt) Lange-Bertalot et Reichardt	EN	4	3	4	4	1	2	3	21
<i>Gomphonema productum</i> (Grunow) Lange-Bertalot et Reichardt	VU	2	3	4	3	1	2	3	18
<i>Gomphonema rhombicum</i> Fricke	LC	1	2	4	2	1	1	1	12
<i>Gomphonema sarcophagus</i> Gregory	VU	3	3	4	3	1	2	2	18
<i>Gomphonema subtile</i> Ehrenberg	EN	4	3	4	4	1	2	3	21
<i>Gomphonema utae</i> Lange-Bertalot et Reichardt	VU	4	3	4	3	1	2	2	19
<i>Hygropetra balfouriana</i> (Grunow) Krammer et Lange-Bertalot	VU	4	3	4	3	1	2	3	20
<i>Karayevia laterostrata</i> (Hustedt) Round et Bukhtiyarova	VU	3	4	4	3	1	2	3	20
<i>Karayevia suchlandtii</i> (Hustedt) Bukhtiyarova	EN	4	3	4	4	1	2	3	21
<i>Kobayasiella jaagii</i> (Meister) Lange-Bertalot	EN	4	3	4	4	1	2	3	21
<i>Kobayasiella parasubtilissima</i> (Kobayasi et Nagumo) Lange-Bertalot	VU	3	3	4	3	1	2	2	18
<i>Mastogloia smithii</i> var. <i>lacustris</i> Grunow	EN	4	3	4	4	1	2	3	21
<i>Melosira dickiei</i> (Thwaites) Kützing	DD	–	–	–	–	–	–	–	–
<i>Navicula angusta</i> Grunow	NT	2	2	4	3	1	1	3	16
<i>Navicula bremensis</i> Hustedt	EN	4	3	4	4	1	2	3	21
<i>Navicula concentrica</i> Carter et Bailey-Watts	EN	3	4	4	3	1	2	4	21
<i>Navicula detenta</i> Hustedt	EN	3	3	4	3	1	3	4	21
<i>Navicula medioconvexa</i> Hustedt	VU	3	2	4	2	1	2	3	17
<i>Navicula oligotraphenta</i> Lange-Bertalot et Hofmann	VU	3	2	4	2	1	2	3	17
<i>Navicula porifera</i> var. <i>opportuna</i> (Hustedt) Lange-Bertalot	VU	3	3	4	3	1	2	4	20
<i>Navicula schmassmanii</i> Hustedt	EN	3	3	4	4	1	2	4	21
<i>Navicula striolata</i> (Grunow) Lange-Bertalot	VU	4	3	4	3	1	2	3	20
<i>Navicula tridentula</i> Krasske	EN	3	3	4	4	1	2	4	21
<i>Navicula utermoehtii</i> Hustedt	DD	–	–	–	–	–	–	–	–
<i>Navicula vulpina</i> Kützing	EN	4	3	4	4	1	2	3	21

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Neidiopsis levanderi</i> (Hustedt) Lange-Bertalot et Metzeltin	EN	3	3	4	4	1	2	4	21
<i>Neidium affine</i> (Ehrenberg) Pfizer	VU	3	3	4	3	1	1	2	17
<i>Neidium alpinum</i> Hustedt	EN	4	3	4	4	1	2	3	21
<i>Neidium ampliatus</i> (Ehrenberg) Krammer	NT	3	3	4	3	1	1	1	16
<i>Neidium bisulcatum</i> (Lagerstedt) Cleve	VU	3	3	4	3	1	2	3	19
<i>Neidium bisulcatum</i> var. <i>subampliatum</i> Krammer	EN	4	3	4	3	1	2	4	21
<i>Neidium hercynicum</i> Mayer	EN	4	3	4	3	1	2	4	21
<i>Neidium iridis</i> (Ehrenberg) Cleve	VU	3	4	4	3	1	2	3	20
<i>Nitzschia alpina</i> Hustedt	VU	3	3	4	3	1	2	2	18
<i>Nupela impexiformis</i> Lange-Bertalot	EN	4	3	4	4	1	2	3	21
<i>Nupela lapidosa</i> (Krasske) Lange-Bertalot	VU	3	3	4	3	1	2	2	18
<i>Nupela silvahercynia</i> (Lange-Bertalot) Lange-Bertalot	EN	3	4	4	4	1	4	4	24
<i>Orthoseira roeseana</i> (Rabenhorst) O'Meara	VU	3	3	4	3	1	2	2	18
<i>Pinnularia acutobrebissonii</i> Kulikovskiy, Lange-Bertalot et Metzeltin	DD	–	–	–	–	–	–	–	–
<i>Pinnularia angusta</i> var. <i>rostrata</i> Krammer	EN	4	3	4	4	1	2	3	21
<i>Pinnularia appendiculata</i> (Agardh) Schaarschmidt	VU	3	3	4	3	1	2	2	18
<i>Pinnularia bicapitata</i> (Lagerstedt) Cleve	DD	–	–	–	–	–	–	–	–
<i>Pinnularia biceps</i> Gregory	VU	2	4	4	3	1	2	2	18
<i>Pinnularia borealis</i> var. <i>scalaris</i> (Ehrenberg) Rabenhorst	VU	3	3	4	3	1	2	3	19
<i>Pinnularia brandelii</i> Cleve	VU	4	3	4	3	1	2	3	20
<i>Pinnularia braunii</i> (Grunow) Cleve	VU	3	4	4	3	1	2	3	20
<i>Pinnularia brevicostata</i> Cleve	EN	3	3	4	4	1	2	4	21
<i>Pinnularia crucifera</i> Cleve	DD	–	–	–	–	–	–	–	–
<i>Pinnularia divergens</i> Smith	EN	4	3	4	4	1	2	3	21
<i>Pinnularia divergentissima</i> (Grunow) Cleve	EN	4	3	4	4	1	2	4	22
<i>Pinnularia diversa</i> Østrup	EN	4	3	4	4	1	2	4	22
<i>Pinnularia eifeliana</i> (Krammer) Krammer	VU	4	3	4	3	1	2	3	20
<i>Pinnularia gentilis</i> (Donkin) Cleve	DD	–	–	–	–	–	–	–	–
<i>Pinnularia gigas</i> Ehrenberg	DD	–	–	–	–	–	–	–	–
<i>Pinnularia hemiptera</i> (Kützing) Rabenhorst	VU	3	3	4	3	1	2	2	18
<i>Pinnularia intermedia</i> (Lagerstedt) Cleve	VU	3	4	4	3	1	2	2	19
<i>Pinnularia isselana</i> Krammer	VU	3	3	4	3	1	2	2	18
<i>Pinnularia lata</i> (Brébisson) Smith	VU	4	3	3	4	1	2	3	20
<i>Pinnularia lundii</i> Hustedt	VU	4	3	4	3	1	2	2	19
<i>Pinnularia marchica</i> Ilka Schönfelder	VU	4	3	4	3	1	2	2	19
<i>Pinnularia mayeri</i> Krammer	VU	3	3	4	3	1	2	2	18

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Pinnularia microstauron</i> var. <i>nonfasciata</i> Krammer	VU	3	3	4	3	1	2	2	18
<i>Pinnularia neomajor</i> var. <i>inflata</i> Krammer	VU	4	3	4	4	1	2	2	20
<i>Pinnularia nobilis</i> (Ehrenberg) Ehrenberg	DD	–	–	–	–	–	–	–	–
<i>Pinnularia obscura</i> Krasske	EN	4	3	4	4	1	2	3	21
<i>Pinnularia platycephala</i> (Ehrenberg) Cleve	EN	4	3	4	4	1	2	4	22
<i>Pinnularia rabenhorstii</i> (Grunow) Krammer	EN	4	3	4	4	1	2	3	21
<i>Pinnularia rhombarea</i> Krammer	EN	4	3	4	4	1	2	3	21
<i>Pinnularia schoenfelderi</i> Krammer	VU	3	3	3	3	1	2	3	18
<i>Pinnularia schroederi</i> (Hustedt) Cholnoky	VU	4	3	4	4	1	2	2	20
<i>Pinnularia scotica</i> Krammer	VU	4	3	4	3	1	2	3	20
<i>Pinnularia stomatophora</i> (Grunow) Cleve	VU	3	3	3	3	1	2	2	17
<i>Pinnularia stomatophora</i> var. <i>irregularis</i> Krammer	VU	4	3	4	4	1	2	2	20
<i>Pinnularia subcommutata</i> Krammer	VU	4	3	4	3	1	2	2	19
<i>Pinnularia subrupestris</i> var. <i>cuneata</i> Krammer	VU	4	3	4	3	1	2	3	20
<i>Pinnularia sudetica</i> (Hilse) Hilse	DD	–	–	–	–	–	–	–	–
<i>Pinnularia tirolensis</i> var. <i>julma</i> Krammer	VU	4	3	4	3	1	2	3	20
<i>Placoneis abiskoensis</i> (Hustedt) Lange-Bertalot et Metzeltin	VU	4	3	4	3	1	2	3	20
<i>Placoneis ignorata</i> (Schimanski) Lange-Bertalot	VU	3	3	4	3	1	2	2	18
<i>Placoneis pseudanglica</i> Cox	NT	3	2	4	2	1	2	1	15
<i>Platessa rupestris</i> (Krasske) Lange-Bertalot	EN	4	4	4	3	1	3	4	23
<i>Psammothidium bioretii</i> (Germain) Bukhtiyarova et Round	NT	1	3	4	2	1	1	2	14
<i>Psammothidium curtissimum</i> (Carter) Aboal	VU	3	3	4	4	1	2	3	20
<i>Psammothidium didymum</i> (Hustedt) Bukhtiyarova et Round	VU	3	3	4	4	1	2	3	20
<i>Psammothidium marginulatum</i> (Grunow) Bukhtiyarova et Round	VU	3	3	4	4	1	2	3	20
<i>Psammothidium oblongellum</i> (Østrup) Van de Vijver	VU	3	3	4	3	1	2	3	19
<i>Psammothidium pseudoswazi</i> (Carter) Bukhtiyarova et Round	VU	3	3	4	3	1	2	3	19
<i>Psammothidium rechtense</i> (Leclercq) Lange-Bertalot	VU	3	3	4	3	1	2	4	20
<i>Psammothidium sacculum</i> (Carter) Bukhtiyarova	VU	3	3	4	4	1	2	3	20
<i>Pseudostaurosira pseudoconstruens</i> (Marciniak) Williams et Round	NT	3	3	4	3	1	1	1	16
<i>Rossithidium nodosum</i> (Cleve) Aboal	EN	3	4	4	3	1	2	4	21

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Rossithidium petersennii</i> (Hustedt) Round et Bukhtiyarova	VU	3	3	4	3	1	2	2	18
<i>Rossithidium pusillum</i> (Grunow) Round et Bukhtiyarova	VU	3	3	4	4	1	2	2	19
<i>Sellaphora americana</i> (Ehrenberg) Mann	DD	–	–	–	–	–	–	–	–
<i>Sellaphora disjuncta</i> (Hustedt) Mann	EN	4	3	4	3	1	2	4	21
<i>Sellaphora laevis</i> (Kützing) Mann	VU	3	3	4	3	1	2	3	19
<i>Sellaphora perhibita</i> (Hustedt) Lange-Bertalot et Cantonati	EN	4	3	4	4	1	2	3	21
<i>Stauroneis acidoclinata</i> Lange-Bertalot et Werum	VU	3	3	4	4	1	2	2	19
<i>Stauroneis anceps</i> Ehrenberg	EN	4	3	4	4	1	2	3	21
<i>Stauroneis gracilis</i> Ehrenberg	VU	3	4	4	3	1	2	2	19
<i>Stauroneis kriegerii</i> Patrick	VU	3	4	4	3	1	2	2	19
<i>Stauroneis phoenicenteron</i> (Nitzsch) Ehrenberg	VU	3	3	4	3	1	2	2	18
<i>Stauroneis phoenicenteron</i> var. <i>lanceolata</i> (Kützing) Brun	DD	–	–	–	–	–	–	–	–
<i>Stauroneis siberica</i> (Grunow) Lange-Bertalot et Krammer	VU	4	3	4	3	1	2	3	20
<i>Stauroneis tackei</i> (Hustedt) Krammer et Lange-Bertalot	EN	4	3	4	4	1	2	3	21
<i>Stenopterobia delicatissima</i> (Lewis) Brébisson	VU	3	3	4	3	1	2	3	19
<i>Stenopterobia intermedia</i> (Lewis) Van Heurck	DD	–	–	–	–	–	–	–	–
<i>Surirella bifrons</i> Ehrenberg	EN	4	3	4	4	1	2	3	21
<i>Surirella biseriata</i> var. <i>constricta</i> (Ehrenberg) Grunow	DD	–	–	–	–	–	–	–	–
<i>Surirella spiralis</i> Kützing	VU	3	3	4	4	1	2	3	20
<i>Surirella tenera</i> Gregory	VU	3	4	4	3	1	2	2	19
<i>Tetracyclus rupestris</i> (Kützing) Grunow	DD	–	–	–	–	–	–	–	–
Note: The list of diatoms contains only freshwater taxa, due to scarce data on other ecological groups in the country.									
CHRYSTOPHYCEAE									
<i>Bicosoeca depouquesiana</i> Bourrelly	NT	4	1	4	1	1	4	1	16
<i>Bicosoeca urceolata</i> Fott	NT	4	1	4	1	1	2	1	14
<i>Chromulina globosa</i> Pascher	NT	4	1	4	1	1	4	1	16
<i>Chromulina hokeana</i> Pascher	NT	4	1	4	1	1	4	1	16
<i>Chromulina pascheri</i> Hofeneder	EN	4	4	4	3	1	4	1	21
<i>Chrysocapsa planktonica</i> Pascher	NT	4	1	4	1	1	4	1	16
<i>Chrysosphaera globulifera</i> Scherffel	VU	4	4	4	3	1	3	1	20

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Dinobryon annulatum</i> Hilliard et Asmund	EN	4	4	4	3	1	4	1	21
<i>Dinobryon bavaricum</i> Imhof	NT	4	1	4	1	1	2	1	14
<i>Dinobryon behningii</i> Swirenko	EN	4	4	4	3	1	4	1	21
<i>Dinobryon borgei</i> Lemmermann	VU	3	4	4	2	1	2	1	17
<i>Dinobryon elegans</i> f. <i>glabra</i> Korshikov	EN	4	4	4	3	1	4	4	24
<i>Dinobryon eurystoma</i> (Stokes) Lemmermann	VU	4	4	4	3	1	2	1	19
<i>Dinobryon korshikovii</i> Matvienko	EN	3	4	4	2	1	4	4	22
<i>Dinobryon sertularia</i> var. <i>protuberans</i> (Lemmermann) Krieger	EN	4	4	4	3	1	4	1	21
<i>Dinobryon stokesii</i> var. <i>neustonicum</i> Petersen et Hanzen	EN	4	4	4	3	1	4	1	21
<i>Epipyxis marchica</i> (Lemmermann) Hilliard et Asmund	EN	3	4	4	2	1	4	3	21
<i>Epipyxis proteus</i> (Wisłouch) Hilliard et Asmund	VU	3	4	4	2	1	4	1	19
<i>Epipyxis stokesii</i> (Lemmermann) Smith	EN	4	4	4	4	1	4	1	22
<i>Kephyrion cupuliforme</i> Conrad	EN	4	4	4	3	1	4	4	24
<i>Kybotion globosum</i> (Matvienko) Bourrelly	EN	3	4	4	2	1	4	4	22
<i>Monosiga vitošensis</i> Valkanov	CR	4	4	4	3	4	4	4	27
<i>Paraphysomonas takahashi</i> Cronberg et Kristiansen	CR	4	4	4	4	4	4	1	25
<i>Phaeodermatium rivulare</i> Hansgirg	EN	4	4	4	3	1	3	2	21
<i>Polykyrtos vitreus</i> Pascher	VU	4	1	4	1	1	4	4	19
<i>Syncrypta pallida</i> (Korschikov) Bourrelly	EN	4	4	4	3	1	4	4	24
SYNUROPHYCEAE									
<i>Mallomonas actinoloma</i> var. <i>maramuresensis</i> Péterfi et Momeu	VU	3	4	4	4	1	3	1	20
<i>Mallomonas valkanoviana</i> (Valkanov) Conrad (Syn. <i>Mallomonas pyriformis</i> Valkanov)	CR	4	4	4	1	4	4	4	25
<i>Spiniferomonas abei</i> Takahashi	EN	4	4	4	4	4	3	1	24
XANTHOPHYCEAE									
<i>Arachnochloris maior</i> Pascher	EN	4	4	4	3	1	4	3	23
<i>Botryochloris cumulata</i> Pascher	EN	4	4	4	4	1	4	1	22
<i>Botrydiopsis arhiza</i> Borzi	NT	3	4	2	1	1	2	1	14
<i>Botrydium corniforme</i> Wodenitscharov	CR	4	4	4	4	4	4	4	28
<i>Botrydium milleri</i> Wodenitscharov	EN	3	4	4	4	1	4	4	24
<i>Botrydium pachydermum</i> Miller	VU	3	1	4	2	1	4	4	19
<i>Botrydium tuberosum</i> Iyengar	VU	4	1	4	1	1	4	4	19
<i>Bumilleriopsis closterioides</i> Pascher	EN	4	4	4	3	1	4	2	22

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Bumilleriopsis peterseniana</i> Vischer et Pascher	NT	3	4	3	3	1	1	1	16
<i>Centritractus africanus</i> Fritsch et Rich	NT	3	2	4	2	1	3	1	16
<i>Centritractus belenophorus</i> var. <i>skujae</i> Kiriakov	EN	4	1	4	1	4	4	4	22
<i>Centritractus brunneus</i> Fott	NT	3	1	4	1	1	4	1	15
<i>Centritractus heteracanthus</i> Vodeníčarov	EN	4	1	4	1	4	4	4	22
<i>Chlorobotrys regularis</i> (W. West) Bohlin	VU	3	4	4	2	1	2	1	17
<i>Goniochloris triradiata</i> Pascher	VU	4	4	4	2	1	4	1	20
<i>Mischococcus sphaerocephalus</i> Vischer	VU	3	2	4	2	1	4	1	17
<i>Ophiocytium arbuscula</i> (A. Braun) Rabenhorst	VU	4	4	4	2	1	1	3	19
<i>Ophiocytium lagerheimii</i> Lemmermann	VU	3	4	4	2	1	4	1	19
<i>Raphidiella fascicularis</i> Pascher	VU	4	1	4	1	1	4	4	19
<i>Trachychloron regulare</i> Pascher	CR	4	4	4	4	1	4	4	25
<i>Trachydiscus minutus</i> (Bourrelly) Fott	NT	3	1	4	1	1	4	1	15
<i>Trachydiscus sexangulatus</i> Ettl	NT	3	1	4	1	1	4	1	15
<i>Tribonema tenerrimum</i> Heering	DD	–	–	–	–	–	–	–	–
PHAEOTHAMNIOPHYCEAE									
<i>Phaeoschizochlamys mucosa</i> Lemmermann	CR	4	4	4	4	4	4	4	28
<i>Phaeothamnion confervicola</i> Lagerheim	CR	4	4	4	3	4	3	4	26
EUSTIGMATOPHYCEAE									
<i>Ellipsoidion solitare</i> (Geitler) Pascher	EN	4	4	4	4	1	4	2	23
<i>Visheria gibbosa</i> Pascher	EN	4	4	3	3	1	4	2	21
<i>Vischeria undulata</i> Pascher	EN	4	4	3	4	1	4	2	22
<i>Vischeria stellata</i> (Chodat ex Poulton) Pascher	EN	4	3	3	3	4	3	3	23
HAPTOPHYTA									
<i>Hymenomonas coccolithophora</i> Massart et Conrad	EN	3	2	4	2	1	4	4	23
CHLOROPHYTA									
<i>Ankistrodesmus setigerus</i> var. <i>undosus</i> Hortobágyi	DD	–	–	–	–	–	–	–	–
<i>Borodinella polytetras</i> Miller	NT	4	3	4	1	1	2	1	16
<i>Bulbochaete basispora</i> Wittrock et Lundell ex Hirn	VU	3	4	4	4	1	2	1	19
<i>Bulbochaete tenuis</i> Hirn	VU	4	4	4	1	1	2	1	17
<i>Binuclearia tectorum</i> (Kützing) Beger	NT	3	4	2	2	1	2	1	15
<i>Botryococcus neglectus</i> (W. et G.S. West) Komárek et Marvan	EN	4	4	4	3	1	3	2	21
<i>Carteria rotunda</i> Ettl H. et O.	VU	4	4	4	2	1	4	1	20
<i>Catena viridis</i> Chodat	EN	4	4	3	3	1	4	4	23

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Chlainomonas rubra</i> (Stein et R.C.Brooke) Hoham	EN	4	1	4	4	1	3	4	21
<i>Chlorococcum pinquideum</i> Arce et Bold	VU	4	4	1	4	1	4	1	19
<i>Choricystis hindakii</i> Tell	VU	4	1	4	3	1	4	1	18
<i>Closteridium petkovii</i> Vodenicharov	CR	4	4	4	3	4	4	4	27
<i>Coelastrella aeroterrestica</i> Tschaikner, Gärtner et Kofler	CR	4	2	4	4	4	4	4	26
<i>Coelastrella terrestris</i> (Reisigl) Hegewald et Hanagata	CR	4	4	4	4	4	2	4	26
<i>Coelastropsis costata</i> (Korshikov) Fott et Kalina	EN	4	4	4	3	1	4	1	21
<i>Coelastrum proboscideum</i> f. <i>minor</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Coelastrum scabrum</i> Reinsch	VU	4	4	4	3	1	2	1	19
<i>Crucigeniopsis divergens</i> (Smith) Hindák	VU	3	4	4	2	1	4	1	19
<i>Dangeardinella saltathrix</i> Pascher	EN	4	4	4	4	1	4	3	24
<i>Desmodesmus grahneisii</i> (Heynig) Hegewald	EN	4	4	4	4	1	4	2	23
<i>Desmodesmus pannonicus</i> (Hortobágyi) Hegewald	VU	3	2	4	2	1	4	1	17
<i>Desmodesmus pseudodenticulatus</i> (Hegewald) Hegewald	CR	4	4	4	4	1	4	4	25
<i>Desmodesmus serratus</i> (Corda) S. S. An, Friedl et Hegewald	NT	2	2	4	2	1	1	4	16
<i>Dichotomococcus bacillaris</i> Komárek	VU	3	2	4	2	1	4	1	17
<i>Dichotomococcus capitatus</i> Korshikov	VU	4	1	4	1	1	4	3	18
<i>Dichotomococcus curvatus</i> Korshikov	NT	3	2	4	2	1	2	1	15
<i>Dicloster acuatus</i> Jao, Wei et Hu	CR	4	4	4	4	1	4	4	25
<i>Dictyosphaerium granulatum</i> Hindák	EN	4	4	4	3	1	4	4	24
<i>Didymocystis inermis</i> (Fott) Fott	VU	3	4	4	2	1	4	2	20
<i>Didymogenes anomala</i> (Smith) Hindák	VU	3	2	4	2	1	4	1	17
<i>Dimorphococcus lunatus</i> A. Braun	VU	2	2	4	2	1	2	4	17
<i>Dispora crucigenioides</i> Printz	VU	3	4	4	2	1	2	3	19
<i>Dispora speciosa</i> Korshikov	EN	3	4	4	2	1	4	3	21
<i>Dunaliella lateralis</i> Pascher et Jahoda	EN	4	4	4	4	1	4	1	22
<i>Elakatothrix gelatinosa</i> Wille	NT	3	2	4	2	1	2	1	15
<i>Elakatothrix parvula</i> (Archer) Hindák	EN	4	4	4	4	1	4	1	22
<i>Ellipsoidion solitare</i> (Geitler) Pascher	EN	4	4	4	4	1	4	2	23
<i>Enallax costatus</i> (Schmidle) Pascher	NT	2	4	3	2	1	2	1	15
<i>Enallax coelastroides</i> (Bohlin) Skuja	VU	2	4	4	2	1	4	1	18
<i>Geminella interrupta</i> Turpin	NT	4	1	4	1	1	2	1	14
<i>Geminella minor</i> (Nägeli) Heering	VU	4	4	4	3	1	2	1	19
<i>Glauco cystis nostochinearum</i> var. <i>incrassata</i> Lemmermann	CR	4	4	4	4	1	4	4	25

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Gloeocystis major</i> f. <i>sphaerica</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Gloeocystis vesiculosa</i> var. <i>alpina</i> Schmidle	EN	3	4	4	4	1	4	1	21
<i>Glochiococcus aciculiferus</i> (Lagerheim) Silva	NT	2	2	4	2	1	2	1	14
<i>Gloeotaenium loitlesbergerianum</i> Hansgirg	CR	4	4	4	4	1	4	4	25
<i>Gongrosira calcifera</i> Krieger	EN	4	4	4	4	1	3	1	21
<i>Gongrosira debaryana</i> Rabenhorst	VU	3	4	4	3	1	2	1	18
<i>Gongrosira incrustans</i> (Reinsch) Schmidle	NT	3	2	4	2	1	2	1	15
<i>Gongrosira schmidlei</i> Richter	VU	4	4	4	1	1	4	1	19
<i>Gongrosira scourfieldii</i> G. S. West	VU	3	4	4	1	1	4	1	18
<i>Granulocystopsis calyptrata</i> Hindák	EN	4	4	4	3	1	4	1	21
<i>Heleochloris pallida</i> Korshikov	EN	4	4	4	4	1	4	3	24
<i>Hindakia tetrachotoma</i> (Printz) C. Bock, Pröschold et Krienitz	VU	3	4	4	2	4	2	1	20
<i>Hydrianum gracile</i> Korshikov	EN	3	4	4	4	1	4	4	24
<i>Hydrianum viride</i> (Scherffrel) Ettl	VU	3	4	4	4	1	2	2	20
<i>Interfilum paradoxum</i> Chodat et Topali	EN	4	4	3	4	1	2	3	21
<i>Juraniella javorkae</i> (Hortobágyi) Hortobágyi	NT	3	1	4	1	1	4	1	15
<i>Kentrosphaera bristoliae</i> Smith	VU	4	1	4	1	1	4	2	17
<i>Keratococcus saxatilis</i> (Komarková-Legnerová) Hindák	VU	3	4	4	2	1	2	2	18
<i>Koliella spiculiformis</i> (Vischer) Hindák	CR	4	4	4	4	1	4	4	25
<i>Lagerheimia circumfilata</i> (Seligo) Hegewald et Schmidt	EN	4	4	4	3	1	4	1	21
<i>Lanceola spatulifera</i> (Korshikov) Hindák	VU	3	2	4	2	1	4	1	17
<i>Lauterborniella elegantissima</i> Schmidle	VU	2	2	4	2	1	4	2	17
<i>Lobocystis michevii</i> Stoyneva	CR	4	4	4	4	1	4	4	25
<i>Lobomonas francei</i> Dangeard	VU	4	1	4	1	1	4	4	19
<i>Lobomonas gracilis</i> Christen	EN	4	4	4	1	1	4	4	22
<i>Lobomonas irregularis</i> Wawrik	EN	4	4	4	3	1	4	4	24
<i>Lobomonas monstruosa</i> Korshikov	NT	4	1	4	1	1	4	1	16
<i>Lobomonas stellata</i> Chodat	NT	4	1	4	1	1	4	1	16
<i>Macrochloris multinucleata</i> (Reisigl) Ettl et Gärtner	CR	3	2	4	4	4	4	4	25
<i>Micracantha minutissima</i> Korshikov	NT	4	1	4	1	1	4	1	16
<i>Micractinium crassisetum</i> Hortobágyi	VU	3	2	4	2	1	4	4	20
<i>Micractinium valkanovii</i> Vodenicharov	DD	–	–	–	–	–	–	–	–
<i>Microspora formosana</i> Okada	CR	4	4	4	4	1	4	4	25
<i>Microspora irregularis</i> (West et G. S. West) Wichmann	EN	3	4	4	4	1	4	1	21
<i>Microspora loefgrenii</i> (Nordstedt) Lagerheim	EN	4	4	4	4	4	3	1	24

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Microspora loefgrenii</i> (Nordstedt) Lagerheim	EN	4	4	4	4	4	3	1	24
<i>Microthamnion kutzingianum</i> f. <i>madarense</i> Petkoff	EN	4	1	4	3	4	4	4	24
<i>Neglectella eremosphaerophila</i> Vodeničarov et Benderliev	CR	4	4	4	4	4	4	1	25
<i>Neodesmus danubialis</i> Hindák	NT	4	1	4	1	1	4	1	16
<i>Nephrochloris incerta</i> Geitler et Gimesi	EN	4	4	4	3	1	4	4	24
<i>Nephroselmis discoidea</i> Skuja	VU	3	2	4	2	1	4	1	17
<i>Oedogonium acrosporum</i> De Bary ex Hirn	VU	1	4	4	3	1	2	3	18
<i>Oedogonium acrosporum</i> var. <i>bathmidosporum</i> Hirn	VU	4	4	4	3	1	2	1	19
<i>Oedogonium balcanicum</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Oedogonium braunii</i> Kützing ex Hirn	NT	4	1	4	1	1	2	1	14
<i>Oedogonium borisianum</i> Wittrock ex Hirn	VU	4	4	4	3	1	2	1	19
<i>Oedogonium cardiacum</i> var. <i>polymorphum</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Oedogonium crispum</i> Wittrock ex Hirn	VU	4	1	4	1	1	2	4	17
<i>Oedogonium cyathigerum</i> Wittrock ex Hirn	VU	4	4	4	1	1	2	3	19
<i>Oedogonium cyathigerum</i> var. <i>rumelica</i> Istvanffi	DD	–	–	–	–	–	–	–	–
<i>Oedogonium globosum</i> Nordstedt ex Hirn	EN	4	4	4	3	1	2	3	21
<i>Oedogonium intermedium</i> Wittrock	VU	3	4	4	2	1	2	1	17
<i>Oedogonium inversum</i> f. <i>major</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Oedogonium itzigsohnii</i> De Bary ex Hirn	EN	4	4	4	3	1	2	4	22
<i>Oedogonium jordanovii</i> Vodenicharov	DD	–	–	–	–	–	–	–	–
<i>Oedogonium longatum</i> Kützing	VU	3	2	4	2	1	2	4	18
<i>Oedogonium magnusii</i> forma Petkoff	DD	–	–	–	–	–	–	–	–
<i>Oedogonium minus</i> Wittrock ex Hirn	EN	4	4	4	3	1	2	4	22
<i>Oedogonium oblongum</i> Wittrock ex Hirn (Syn. <i>Oedogonium parvulum</i> Vodenicharov)	NT	3	2	4	2	1	2	1	15
<i>Oedogonium orientale</i> Jao	EN	4	4	4	3	1	4	1	21
<i>Oedogonium plagiosomum</i> Wittrock ex Hirn	NT	4	1	4	1	1	2	3	15
<i>Oedogonium pringsheimii</i> Cramer ex Hirn	VU	4	1	4	1	4	2	4	20
<i>Oedogonium punctatostriatum</i> De Bary ex Hirn	VU	4	4	4	4	1	2	1	20
<i>Oedogonium pusillum</i> Kirchner ex Hirn	VU	4	4	4	3	1	2	1	19
<i>Oedogonium rufescens</i> Wittrock ex Hirn	EN	4	4	4	4	1	2	4	23
<i>Oedogonium rufescens</i> f. <i>intermedia</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Oedogonium sociale</i> Wittrock ex Hirn	NT	3	2	4	2	1	2	1	15
<i>Oedogonium suecicum</i> Wittrock ex Hirn	VU	4	4	4	3	1	2	1	19
<i>Oedogonium vaucheri</i> A. Braun ex Hirn	NT	3	2	4	2	1	2	1	15

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Oedogonium vernale</i> (Hassall) Wittrock	DD	–	–	–	–	–	–	–	–
<i>Oocystis gigas</i> f. <i>intermedia</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Oocystis irregularis</i> (Petkoff) Printz	CR	4	4	4	4	1	4	4	28
<i>Oonephris palustris</i> Komárek	VU	3	4	4	2	1	4	2	20
<i>Palmellopsis texensis</i> (Groover et Bold) Ettl et Gärtner	CR	4	4	4	4	1	4	4	25
<i>Palmodictyon varium</i> (Nägeli) Lemmermann	VU	3	4	4	2	1	2	4	20
<i>Palmodictyon viride</i> Kützing	VU	3	4	4	2	1	2	2	18
<i>Paradoxia paradoxoides</i> (Cirik) Hegewald et Raymond	VU	4	1	4	3	1	4	1	18
<i>Parallela transversalis</i> (Brébisson) Novis, M. Lorenz, Broady et E. A. Flint	VU	4	4	4	3	1	3	1	20
<i>Pediastrum vagum</i> Kützing	DD	–	–	–	–	–	–	–	–
<i>Peterfiella alata</i> (Peterfi) Gerloff	EN	4	4	4	1	1	4	4	22
<i>Phacotus minusculus</i> Bourrelly	EN	4	4	4	3	1	4	1	21
<i>Pithophora roettleri</i> (Roth) Wittrock	EN	4	3	4	3	1	2	4	21
<i>Pleodorina illinoisensis</i> Kofoed	NT	3	1	4	1	1	2	1	13
<i>Pocillomonas flos-aquae</i> Steinecke	VU	3	4	4	2	1	4	1	19
<i>Porochloris filamentorum</i> Pascher	EN	4	4	4	3	1	4	4	24
<i>Porochloris leptochlamys</i> Pascher	CR	4	4	4	4	1	4	4	25
<i>Porochloris tetragona</i> Pascher	EN	4	4	4	3	1	4	4	24
<i>Pseudodictyochloris multinucleata</i> (Broady) Ettl et Gartner	EN	4	1	4	4	1	4	4	22
<i>Pseudokirchneriella extensa</i> (Korshikov) Hindák	EN	3	4	4	2	1	4	3	21
<i>Pseudokirchneriella gracillima</i> (Bohlin) Hindák	EN	4	4	4	4	1	2	3	22
<i>Pseudokirchneriella roselata</i> (Hindák) Hindák	EN	3	4	4	2	1	4	4	22
<i>Pseudotetrastrum punctatum</i> (Schmidle) Hindák	VU	3	4	4	2	1	4	1	19
<i>Pteromonas aequiciliata</i> (Gicklhorn) Bourrelly	VU	4	1	4	1	1	2	4	17
<i>Pteromonas cordiformis</i> Lemmermann	EN	3	4	4	3	2	1	4	21
<i>Pteromonas torta</i> Korshikov	VU	3	2	4	2	1	4	1	17
<i>Pseudodictyochloris multinucleata</i> (Broady) Ettl et Gärtner	CR	4	3	4	4	4	4	4	27
<i>Quadricoccus laevis</i> Fott	NT	4	1	4	1	1	3	1	15
<i>Quadricoccus verrucosus</i> Fott	NT	4	1	4	1	1	3	1	15
<i>Raciborskiella uroglenoides</i> Svirenko	VU	4	1	4	1	1	4	4	19
<i>Radiococcus planctonicus</i> Lund	VU	4	4	4	2	1	2	2	19

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Radiofilum conjunctivum</i> Schmidle	EN	4	4	4	4	1	2	4	23
<i>Radiophilum mesomorphum</i> Skuja	EN	4	4	4	3	1	2	4	22
<i>Raphidonema tatrae</i> var. <i>yellowstonense</i> Kol	EN	4	1	4	4	1	4	4	22
<i>Scenedesmus danubialis</i> Hortobágyi	EN	3	4	4	2	1	4	4	22
<i>Scenedesmus parvus</i> (Smith) Bourrelly	VU	3	4	4	2	1	2	1	17
<i>Scherffelia dubia</i> (Scherffel) Pascher	EN	4	4	4	3	1	4	2	22
<i>Schizochlamydelia delicatula</i> (West) Korshikov	VU	3	4	4	2	1	3	1	18
<i>Scotinosphaera gibberosa</i> (Vodenicarov et Benderliev) Wujek et Thompson (Syn. <i>Kentrosphaera gibberosa</i> Vodenicarov et Benderliev)	VU	3	1	3	1	4	4	4	20
<i>Scourfeldia complanata</i> G. S. West	EN	4	4	4	3	1	4	3	23
<i>Selenochloris angusta</i> Pascher	VU	3	2	4	2	1	4	4	20
<i>Siderocelis sphaerica</i> Hindák	EN	3	4	4	2	1	4	4	22
<i>Skujaster asteriferus</i> (Fott) Vodenicarov	CR	4	4	4	4	1	4	4	25
<i>Spermatozopsis exsultans</i> Korshikov	VU	3	2	4	2	1	4	1	17
<i>Sphaerellopsis fluvialis</i> (Stein) Pascher	VU	4	4	4	4	1	1	2	20
<i>Sphaeroplea annulina</i> var. <i>lata</i> Petkoff	DD	—	—	—	—	—	—	—	—
<i>Sphaeroplea soleirolii</i> var. <i>crassisepta</i> (Rieth) Ramanathan	NT	4	1	4	1	1	4	1	16
<i>Stigeoclonium thermale</i> A. Braun	VU	3	3	4	3	1	2	4	20
<i>Tetrachlorella ornata</i> Korshikov	NT	4	1	4	1	1	2	1	14
<i>Tetradesmus cumbricus</i> var. <i>apiculatus</i> Korshikov	VU	4	1	4	1	1	4	4	19
<i>Tetradesmus lunatus</i> Korshikov	CR	4	4	4	4	1	4	4	25
<i>Tetrastrum peterfii</i> Hortobágyi	EN	3	4	4	3	1	4	4	23
<i>Tetrastrum hortobagyi</i> var. <i>regulare</i> Kirjakov et Vodeničarov	DD	—	—	—	—	—	—	—	—
<i>Tetrastrum triacanthum</i> Korshikov	VU	3	2	4	2	1	4	3	19
<i>Tetrastrum triangulare</i> (Chodat) Komárek	EN	4	4	4	3	1	2	3	21
<i>Thorakomonas feldmannii</i> Bourrelly	VU	4	1	4	1	1	4	4	19
<i>Thorakomonas irregularis</i> Korshikov	VU	4	1	4	1	1	4	4	19
<i>Thorakomonas korschikoffii</i> Conrad	VU	3	2	4	2	1	4	4	20
<i>Trochiscia nivalis</i> Lagerheim	VU	4	1	4	4	1	3	2	19
<i>Trochiscia stellata</i> Vodenicharov et Benderliev	EN	4	4	4	3	4	4	1	24
<i>Trochisciopsis tetraspora</i> f. <i>minor</i> Gärtner, Uzunov, Stoyneva, Kofler et Ingolić	CR	4	4	4	4	4	4	4	28
<i>Uronema africanum</i> Borge	VU	3	2	4	1	1	4	2	17
<i>Uronema confervicolum</i> Lagerheim	NT	3	2	4	2	1	2	1	15
<i>Uronema elongatum</i> Hodgetts	VU	3	4	4	2	1	2	4	20

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Ulothrix gigas</i> (Vischer) Mattox et Bold	EN	4	4	4	4	1	4	1	22
<i>Uronema intermedium</i> Bourrelly	VU	3	2	4	2	1	4	4	20
<i>Uronema terrestre</i> Mitra	CR	4	4	4	4	1	4	4	25
<i>Valkanoviella vaucheriae</i> Bourrelly	EN	4	1	4	1	4	4	4	22
<i>Wislouchiella planctonica</i> Skvortzov	NT	4	1	4	1	1	4	1	16
STREPTOPHYTA									
<i>Actinotaenium borgeanum</i> (Skuja) Kouwets et Coesel	VU	3	4	4	2	1	3	1	18
<i>Actinotaenium clevei</i> (Lundell) Teiling	EN	4	4	4	4	1	4	1	22
<i>Actinotaenium crassiusculum</i> (De Bary) Teiling	EN	4	4	4	4	1	4	2	23
<i>Actinotaenium cruciferum</i> (De Bary) Teiling	VU	4	4	4	3	1	2	1	19
<i>Actinotaenium cucurbitinum</i> (Bisset) Teiling	VU	3	4	4	2	1	2	1	17
<i>Actinotaenium lagenarioides</i> (Roy) Teiling	EN	3	4	4	1	1	4	4	21
<i>Actinotaenium minutissimum</i> (Nordstedt) Teiling	VU	3	4	4	2	1	3	1	18
<i>Actinotaenium palangula</i> (Brébisson ex Ralfs) Teiling	VU	3	4	4	2	1	2	1	17
<i>Actinotaenium rufescens</i> (Cleve) Teiling	NT	3	2	4	2	1	2	1	15
<i>Actinotaenium turgidum</i> (Brébisson ex Ralfs) Teiling	NT	3	2	4	2	1	2	1	15
“ <i>Arthrodesmus incus</i> var. <i>ralfsii</i> forma Petkoff”	DD	–	–	–	–	–	–	–	–
<i>Closterium acutum</i> var. <i>subrectum</i> Petkoff	CR	3	3	4	4	4	4	4	26
<i>Closterium bandericense</i> Petkoff	CR	4	3	4	4	4	4	4	27
<i>Closterium baillyanum</i> var. <i>belassicense</i> Petkoff	EN	4	1	4	1	4	4	4	22
<i>Closterium bicurvatum</i> var. <i>major</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium delpontei</i> (Klebs) Wolle	NT	4	3	4	1	1	1	1	15
<i>Closterium diana</i> var. <i>arcuatum</i> (Brébisson ex Ralfs) Rabenhorst	VU	3	4	4	2	1	2	1	17
<i>Closterium diana</i> var. <i>arcuatum</i> f. <i>crassior</i> Roubal	CR	4	4	4	4	4	4	4	28
<i>Closterium diana</i> var. <i>pseudodiana</i> (Roy) Krieger	VU	4	4	4	4	1	2	1	20
<i>Closterium eboracense</i> Turner	VU	3	4	4	2	1	2	1	17
<i>Closterium ehrenbergii</i> f. <i>curtum</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium ehrenbergii</i> f. <i>rhodopea</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium incurvum</i> f. <i>intermedia</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium jenneri</i> f. <i>longior</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium jenneri</i> f. <i>minus curvata</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium macilentum</i> Brébisson	NT	4	1	4	1	1	2	1	14

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Closterium moniliferum</i> f. <i>devnense</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium parvulum</i> f. <i>longior et latior</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium pritchardianum</i> Archer	NT	3	4	3	2	1	2	1	16
<i>Closterium rostratum</i> var. <i>brevirostratum</i> f. <i>longior</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Closterium rostratum</i> var. <i>bulgaricum</i> Vodenicharov et Kabasanova	DD	–	–	–	–	–	–	–	–
<i>Closterium setaceum</i> Ehrenberg ex Ralfs	DD	–	–	–	–	–	–	–	–
<i>Closterium venus</i> var. <i>robustum</i> Petkoff	DD	–	–	–	–	–	–	–	–
" <i>Closterium venus</i> f. <i>major</i> Petkoff"	DD	–	–	–	–	–	–	–	–
<i>Closterium ulna</i> var. <i>striolatum-punctatum</i> Elenkin	EN	4	4	4	3	1	4	1	21
<i>Cosmarium amoenum</i> Brébisson ex Ralfs	VU	3	4	4	2	1	2	1	17
<i>Cosmarium annulatum</i> (Nägeli) De Bary	NT	3	2	4	2	1	2	1	15
<i>Cosmarium bioculatum</i> var. <i>depressum</i> (Schaarschmidt) Schmidle	VU	3	4	4	2	1	2	1	17
<i>Cosmarium bulgaricum</i> Roubal	CR	3	4	4	4	4	4	4	27
<i>Closterium calosporum</i> Wittrock	VU	3	4	4	2	1	2	1	17
<i>Cosmarium conspersum</i> var. <i>minor</i> Roubal	CR	4	1	4	4	4	4	4	25
<i>Cosmarium cucumis</i> f. <i>tetragona</i> Petkoff	CR	4	3	4	4	4	4	4	27
<i>Cosmarium cymatopleurum</i> f. <i>minor</i> Roubal	CR	4	4	4	4	4	4	4	28
<i>Cosmarium bipunctatum</i> Börgesen	VU	4	4	4	3	1	2	1	19
<i>Cosmarium bireme</i> var. <i>galiciense</i> Gutwinski	CR	4	4	4	4	1	4	4	25
<i>Cosmarium biretum</i> Brébisson ex Ralfs	VU	4	4	4	3	1	2	1	19
<i>Cosmarium broomei</i> Thwaites ex Ralfs	VU	4	1	4	3	1	2	4	19
<i>Cosmarium calcareum</i> Wittrock	VU	4	4	4	3	1	2	1	19
<i>Cosmarium circulare</i> var. <i>messikommeri</i> Krieger et Gerloff	EN	4	4	4	3	1	4	1	21
<i>Cosmarium conspersum</i> var. <i>latum</i> (Brébisson) West et G. S. West	VU	3	1	4	2	1	2	4	17
<i>Cosmarium controversum</i> West	EN	4	4	4	4	1	4	1	22
<i>Cosmarium cylindricum</i> Ralfs	NT	3	2	4	2	1	3	1	16
<i>Cosmarium debaryi</i> Archer	NT	2	4	4	2	1	2	1	16
<i>Cosmarium galeritum</i> var. <i>sultanlarum</i> Petkoff	CR	4	4	4	3	4	4	4	27
<i>Cosmarium hammeri</i> Reinsch	NT	3	2	4	2	1	2	1	15
<i>Cosmarium hammeri</i> var. <i>homalodermum</i> (Nordstedt) West et G. S. West	NT	2	2	4	2	1	2	1	14
<i>Cosmarium hexalobum</i> Nordstedt	VU	4	4	4	3	1	2	1	19
<i>Cosmarium hornavanense</i> Gutwinski	VU	4	4	4	4	1	2	1	20
„ <i>Cosmarium hornavanense</i> forma Petkoff“	DD	–	–	–	–	–	–	–	–

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Cosmarium hornavanense</i> var. <i>minor</i> Roubal	CR	3	2	4	4	4	4	4	25
<i>Cosmarium kjellmanii</i> Wille	NT	3	1	4	1	1	2	1	13
<i>Cosmarium logiense</i> var. <i>retusum</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Cosmarium laeve</i> f. <i>fix retusa</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Cosmarium minimum</i> West et G. S. West	VU	4	4	4	4	1	2	1	20
<i>Cosmarium moniliforme</i> Ralfs	NT	4	1	4	1	1	2	1	14
<i>Cosmarium nasutum</i> f. <i>aperta</i> Roubal	CR	4	3	4	4	4	4	4	27
<i>Cosmarium notabile</i> f. <i>media</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Cosmarium novae-semliae</i> Wille	VU	3	4	4	2	1	2	1	17
<i>Cosmarium novae-semliae</i> forma Petkoff	DD	–	–	–	–	–	–	–	–
<i>Cosmarium obsoletum</i> (Hantzsch) Reinsch	NT	3	2	4	2	1	2	1	15
<i>Cosmarium obtusatum</i> forma Petkoff	DD	–	–	–	–	–	–	–	–
<i>Cosmarium ornatum</i> Ralfs ex Ralfs	VU	4	4	4	3	1	2	1	19
<i>Cosmarium pardalis</i> Cohn	NT	3	1	4	1	1	2	4	16
<i>Cosmarium punctulatum</i> var. <i>subpunctulatum</i> f. <i>major</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Cosmarium quadratum</i> var. <i>compressum</i> Roubal	CR	4	4	4	4	4	4	4	28
<i>Cosmarium quadrifarium</i> Lundell	VU	3	4	4	2	1	2	3	19
<i>Cosmarium quadrum</i> Lundell	NT	3	2	4	2	1	2	1	15
<i>Cosmarium regnesi</i> Reinsch	VU	4	1	4	3	1	2	4	19
<i>Cosmarium speciosissimum</i> Schmidle	EN	3	4	4	2	1	4	4	22
<i>Cosmarium speciosum</i> var. <i>biforme</i> f. <i>minor</i> Petkoff	CR	3	4	4	4	4	4	4	27
<i>Cosmarium sportella</i> Brébisson ex Kützing	VU	3	4	4	2	1	2	1	17
<i>Cosmarium sportella</i> f. <i>intermedium</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Cosmarium subcucumis</i> f. <i>minor</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Cosmarium thwaitesii</i> f. <i>minor</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Cosmarium vogesiacum</i> Lemaire	EN	3	4	4	4	1	4	1	21
<i>Cosmarium tumens</i> Nordstedt	VU	4	1	4	1	1	3	4	18
<i>Cylindrocystis jenneri</i> (Ralfs) West et G. S. West	VU	4	4	4	3	1	2	1	19
<i>Euastrum binale</i> var. <i>retusum</i> f. <i>minor</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Euastrum bulgaricum</i> Petkoff	CR	4	3	4	4	4	4	4	27
<i>Euastrum crassangulatum</i> var. <i>conicum</i> Roubal	CR	4	3	4	4	4	4	4	27
<i>Euastrum crassangulatum</i> var. <i>recte</i> <i>granulatum</i> Roubal	CR	4	1	4	4	4	4	4	25
<i>Euastrum delpontei</i> var. <i>tetragonum</i> Petkoff	EN	4	1	4	1	4	4	4	22
<i>Euastrum denticulatum</i> f. <i>minor</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Euastrum dubium</i> var. <i>spinulosum</i> Petkoff	CR	3	3	4	4	4	4	4	26

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Euastrum erosum</i> Lundell	VU	3	3	4	4	1	2	1	18
<i>Euastrum erosum</i> f. <i>minor</i> Roubal	EN	3	1	4	4	4	4	4	24
<i>Euastrum gayanum</i> De Toni	VU	4	4	4	4	1	2	1	20
<i>Euastrum insulare</i> (Wittrock) Roy	VU	3	4	4	2	1	2	1	17
<i>Euastrum montanum</i> West et G. S. West	VU	4	4	3	4	1	2	1	19
<i>Euastrum transiens</i> Gay	EN	4	4	3	4	1	4	1	21
<i>Euastrum montanum</i> var. <i>cosmariiforme</i> Roubal	CR	4	1	4	4	4	4	4	25
<i>Euastrum montanum</i> f. <i>major</i> Roubal	CR	3	3	4	4	4	4	4	26
<i>Euastrum retusum</i> f. <i>intermedia</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Euastrum sublobatum</i> var. <i>simile</i> Roubal	CR	4	1	4	4	4	4	4	25
<i>Euastrum verrucosum</i> var. <i>polymorphum</i> Petkoff	CR	3	3	4	4	4	4	4	26
<i>Genicularia spirotaenia</i> (De Bary) De Bary	VU	3	4	4	2	1	2	2	18
<i>Mesotaenium degreyi</i> Turner	VU	3	4	4	4	1	2	1	19
<i>Mesotaenium chlamydosporum</i> var. <i>violascens</i> (De Bary) Krieger	NT	4	1	4	1	1	3	1	15
<i>Mesotaenium endlicherianum</i> var. <i>grande</i> f. <i>brevior</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Mesotaenium macrococcum</i> (Kützing ex Kützing) Roy et Bisset	VU	3	4	4	2	1	2	1	17
<i>Mesotaenium mirificum</i> Archer	EN	4	4	4	3	1	4	4	24
<i>Micrasterias apiculata</i> Meneghini ex Ralfs	VU	3	2	4	2	1	2	4	18
<i>Micrasterias crux-melitensis</i> (Ehrenberg) Trevisan	VU	3	2	4	2	1	4	4	20
<i>Micrasterias thomasi</i> Archer	NT	3	2	4	1	1	2	1	14
<i>Micrasterias papilifera</i> var. <i>glabra</i> f. <i>riloensis</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Mougeotia faveolatospora</i> Kirjakov	NT	4	1	4	1	1	4	1	16
<i>Mougeotia angusta</i> (Hassall) Czurda	NT	4	3	4	1	1	2	1	16
<i>Netrium digitus</i> var. <i>bulgaricum</i> Roubal	CR	3	2	4	4	4	4	4	25
<i>Netrium digitus</i> var. <i>constrictum</i> f. <i>minor</i> Petkoff	CR	3	4	4	3	4	4	4	25
<i>Netrium digitus</i> var. <i>lamellosum</i> (Brébisson ex Kützing) Grönblad	VU	3	2	4	2	1	2	4	18
<i>Netrium digitus</i> f. <i>rhomboideum</i> (Grönblad) Kossinskaja	VU	3	4	4	2	1	3	1	18
<i>Netrium naegeli</i> (Brébisson ex Archer) West	NT	2	4	4	2	1	2	1	16
<i>Onychonema filiforme</i> (Ralfs) Roy et Bisset	VU	3	4	4	2	1	2	4	20
<i>Penium asperum</i> Petkoff	CR	3	2	4	4	4	4	4	25
<i>Penium curtum</i> f. <i>majus</i> Wille	CR	4	4	4	4	1	4	4	25
" <i>Penium navicula</i> var. <i>inflatum</i> f. <i>longior</i> et <i>tenuor</i> Petkoff"	DD	–	–	–	–	–	–	–	–

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Penium polymorphum</i> (Perty) Perty	NT	4	1	4	1	1	2	1	14
<i>Penium spiospermum</i> f. <i>longior</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Roya anglica</i> G. S. West	VU	4	4	4	1	1	2	1	17
<i>Roya pseudoclosterium</i> (Roy) West et G. S. West	EN	4	4	4	3	1	4	4	24
<i>Sphaeroszma aubertianum</i> f. <i>archeri</i> (Gutwinski) Petlovany	EN	4	4	4	4	1	4	1	22
<i>Sphaeroszma vertebratum</i> Brébisson ex Ralfs	VU	3	4	4	2	1	2	1	17
<i>Spirogyra acumbentis</i> Vodenicarov	EN	4	4	4	4	4	2	1	23
<i>Spirogyra adnata</i> var. <i>obscura</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Spirogyra areolata</i> f. <i>subinflata</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Spirogyra cavata</i> Vodenicarov	EN	4	1	4	1	4	4	4	22
<i>Spirogyra columbiana</i> Czurda	VU	3	2	4	2	1	4	3	19
<i>Spirogyra jugalis</i> (Dillwyn) Kützing	DD	–	–	–	–	–	–	–	–
<i>Spirogyra neglecta</i> f. <i>minor</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Spirogyra nitida</i> f. <i>varians</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Spirogyra spinescens</i> Kirjakov	CR	4	4	4	1	4	4	4	25
<i>Spirotaenia erythrocephala</i> Itzigsohn	EN	4	4	4	3	1	4	1	21
<i>Spirotaenia fusiformis</i> West et G. S. West	EN	4	4	4	4	1	4	1	22
<i>Spirotaenia turfosa</i> West et G. S. West	EN	4	4	4	4	1	4	1	22
<i>Spondylosium papillosum</i> West et G. S. West	EN	3	4	4	2	1	3	4	21
<i>Spondylosium pygmaeum</i> Cooke	VU	3	4	4	2	1	2	4	20
<i>Staurastrum arachne</i> Ralfs ex Ralfs	VU	4	4	4	4	1	2	1	20
<i>Staurastrum avicula</i> var. <i>lunatum</i> (Ralfs) Coesel et Meesters	VU	3	2	4	2	1	2	4	18
<i>Staurastrum bieneanum</i> Rabenhorst	VU	3	4	4	2	1	2	1	17
<i>Staurastrum brevispina</i> Brébisson	NT	3	1	4	2	1	2	3	16
<i>Staurastrum capitulum</i> Brébisson	VU	3	4	4	2	1	2	2	18
<i>Staurastrum echinatum</i> f. <i>minor</i> Petkoff	CR	4	4	4	4	4	4	4	28
<i>Staurastrum forficulatum</i> var. <i>subsenarium</i> (West et G. S. West) Coesel et Meesters	CR	4	4	4	4	1	4	4	25
<i>Staurastrum furcigerum</i> f. <i>armigerum</i> Nordstedt	DD	–	–	–	–	–	–	–	–
<i>Staurastrum hexacerum</i> Wittrock	VU	3	1	4	2	1	2	4	17
<i>Staurastrum hystrix</i> Ralfs	EN	4	4	4	4	1	2	4	23
<i>Staurastrum inconspicuum</i> Nordstedt	DD	–	–	–	–	–	–	–	–
<i>Staurastrum inflexum</i> Brébisson	NT	4	1	4	1	1	2	3	16
<i>Staurastrum insigne</i> Lundell	VU	4	2	4	2	1	3	4	20
<i>Staurastrum lanceolatum</i> Archer	VU	3	4	4	2	1	3	1	18
<i>Staurastrum longipes</i> (Nordstedt) Teiling	VU	3	4	4	2	1	2	4	20

Taxon/Conservation status and criteria	CS	A	B	C	D	E	F	G	T
<i>Staurastrum margaritaceum</i> Meneghini ex Ralfs	EN	3	4	4	3	1	2	4	21
<i>Staurastrum muricatifforme</i> var. <i>minus</i> Roubal	CR	4	3	4	4	4	4	4	27
<i>Staurastrum punctulatum</i> f. <i>minor</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Staurastrum pyramidatum</i> West	NT	3	2	4	2	1	2	1	15
<i>Staurastrum rugulosum</i> Brébisson ex Ralfs	EN	4	4	4	4	1	3	4	24
<i>Staurastrum saxonicum</i> Bulnheim	EN	4	4	4	4	1	4	1	22
<i>Staurastrum senarium</i> var. <i>spinosum</i> Roubal	CR	4	1	4	4	4	4	4	25
<i>Staurastrum sexcostatum</i> var. <i>productum</i> forma Petkoff	DD	–	–	–	–	–	–	–	–
<i>Staurastrum striolatum</i> (Nägeli) Archer	VU	4	4	4	3	1	2	1	19
<i>Staurastrum subpunctulatum</i> Gay	EN	4	4	4	4	1	3	4	24
<i>Staurastrum tohopecaligense</i> var. <i>trifurcatum</i> West et G. S. West	EN	4	4	4	4	1	3	3	23
<i>Staurastrum turgescens</i> De Notaris	VU	4	4	4	3	1	2	1	19
<i>Staurastrum vestitum</i> var. <i>orbelicum</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Staurastrum vestitum</i> var. <i>semivesitum</i> f. <i>intermedium</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Staurodesmus clepsydra</i> (Nordstedt) Teiling	NT	4	1	4	1	1	2	1	14
<i>Staurodesmus extensus</i> (O. F. Andersson) Teiling	VU	4	4	4	3	1	2	1	19
<i>Staurodesmus mucronatus</i> var. <i>delicatulus</i> (G. S. West) Teiling	EN	4	4	4	3	1	4	2	22
<i>Staurodesmus pterosporus</i> (Lundell) Bourrelly	VU	4	4	4	4	1	2	1	20
<i>Tetmemorus granulatus</i> Brébisson ex Ralfs	VU	3	3	3	4	1	2	1	17
<i>Tetmemorus intermedius</i> Woronichin	DD	–	–	–	–	–	–	–	–
<i>Tetmemorus laevis</i> var. <i>minutus</i> (De Bary) Willi Krieger	VU	3	4	4	2	1	4	1	19
<i>Tortitaenia alpina</i> (Schmidle) Brook	EN	4	4	4	4	1	4	1	22
<i>Xanthidium basidentatum</i> (Børgesen) Coesel	EN	4	4	4	4	1	3	4	24
<i>Xanthidium fasciculatum</i> var. <i>oronense</i> West et G. S. West	VU	3	4	4	3	1	4	1	20
<i>Zygnema chalybeospermum</i> Hansgirg	NT	3	2	4	2	1	3	1	16
<i>Zygnema ericetorum</i> var. <i>scrobiculatum</i> Petkoff	DD	–	–	–	–	–	–	–	–
<i>Zygnema vaginatum</i> Klebs	VU	3	4	4	3	1	3	1	19

CONFLICT OF INTERESTS

The authors declare that there is no conflict of interests regarding the publication of this article. The paper was prepared after the idea of the first author and the contribution to the list is as follows: the list of diatoms was prepared by Ts. Isheva and P. Ivanov; list for all other groups was prepared by B. Uzunov and M. Stoyneva-Gärtner, where B. Uzunov made aeroterrestrial and Pirin algae and the background of the distribution in Bulgaria was prepared by P. Hristova.

References

- BESHKOVA M. 1998. Phytoplankton of the coastal lakes Shabla and Ezerets (Northeastern Bulgaria) during the period 1992–1994. – In: GOLEMANSKY V. V. & NAIDENOV W. T. (eds), Biodiversity of Shabla lake System, Sofia, “Prof. Marin Drinov” Acad. Publ. House, 25–38.
- BESHKOVA M. 2000. The phytoplankton of the glacial high mountain lakes Sedemte Rilski Ezera (the Rila Mountain, Bulgaria). – In: GOLEMANSKY V. V. & NAIDENOV W. T. (eds), Biodiversity and evolution of glacial water ecosystems in the Rila Mountains, Sofia, Inst. Zool., 105–124.
- BLAŽENČIĆ J., STEVANOVIĆ B., BLAŽENČIĆ Ž. & STEVANOVIĆ V. 2006. Red Data List of Charophytes in the Balkans. – Biodiv. Conserv. 15: 3445–3457.
- BOURRELLY P. 1965. Note de nomenclature algale: *Valkanoviella* nom. nov. – Rev. Algol. 8 (1): 64–65.
- CATALAN J., BARBIERI M. G., BARTUMEUS F., BITUSEK P., BOTEV I., BRANCELJA A., COGALNICEANU D., MANCA M., MARCHETTO A., OGNJANOVA-RUMENOVA N., PLA S., RIERADEVALL M., SORVARI S., STEFKOVA E., STUHLIK E., VENTURA M. 2009. Ecological thresholds in European alpine lakes. – Freshwater Biol. 54: 2494–2517.
- DIMITROVA R. E., NENOVA E. P., UZUNOV B. A., SHIHINIOVA M. D. & STOYNEVA M. P. 2014. Phytoplankton composition of Vaya Lake (2004–2006). – Bulg. J. Agric. Sci. 20, Suppl. 1: 165–172.
- DOCHIN K. T. & STOYNEVA M. P. 2014. Effect of long-term cage fish-farming on the phytoplankton biodiversity in two large Bulgarian reservoirs. – Ber. nat.-med. Verein Innsbruck 99: 49–96.
- DRAGANOV S. 1960. Beitrag zur Algenflora Bulgariens. – Ann. Univ. Sof. 52 (1): 163–167 (In Bulgarian).
- DRAGANOV S. [1962/1963]1964A. Beitrag zur Algenflora Bulgariens. II. – Ann. Univ. Sof. 57 (1): 9–20 (In Bulgarian).
- DRAGANOV S. 1964B. Beitrag zur Algenflora Bulgariens. III. – Ann. Sof. Univ. 52 (2): 10–15.
- DRAGANOV S. [1962/1963]1964C. “*Cylindrospermum echinulatus* sp. n. – a new blue-green algal species“. – Ann. Univ. Sof. 57 (1): 35–40 (In Bulgarian).
- DRAGANOV S. 1979. Blue-green algae in the soils of North-Bulgarian forest-steppe zone. Autoreferat of PhD Thesis, Sofia University ‘St. Kliment Ohridski’ (In Bulgarian).
- DRAGANOV S. 1981. *Aulosira valkanovii* sp. n. and *Calothrix hollerbachii* sp. n. – new hormogonal blue-green algae from soils in Bulgaria. – Fitologiya (Sofia) 18: 52–56.

- DRAGANOV S. & DIMITROVA-BURIN E. 1977. Speleological investigations in Bulgaria. – International Speleology 73, Proceedings of the 6th International Congress of Speleology, Olomouc-ČSSR, Academia, Praha, 11–17 (In Russian).
- DRAGANOV S. & DIMITROVA-BURIN E. 1980. Speleo-algological studies in Bulgaria. – Ecology (Sofia) 6: 62–69 (In Bulgarian).
- DRAGANOV ST. J. & STOYNEVA M. P. 1988. Algal flora of River Danube (Bulgarian sector) and adjacent water basins. I. Composition and distribution of the phytoplankton of River Danube. – Ann. Sof. Univ. 79 (2): 38–63.
- DRAGANOV ST. & STOYNEVA M. 1992. Algal flora of the Danube river (Bulgarian sector) and adjoined water basins. III. Algae from some adjoined water basins. – Ann. Univ. Sof. 82 (2): 63–78.
- DRAGANOV S., STOYNEVA M. & PHAN DAHN 1992. Soil blue-green algae from the Reserves 'Old Oak' and 'Lopushna' (Bulgaria). – Ann. Univ. Sof. 81 (2): 5–10 (In Russian, English summ.).
- DRAGANOV S. J., GEORGIEV B. B., MILEVA E. K. & GEORGIEVA I. L. 1984. Blue-green algae of the Northern and Central parts of the Bulgarian Black Sea Coast. – Hidrobiologiya (Sofia) 20: 51–64 (In Russian, English summ.).
- DRAGANOV S., STOYNEVA M. & GEORGIEV B. 1987. Algal flora of River Danube (Bulgarian sector) and of the adjoined water basins. – In: International Symposium 'The Role of Wetlands in Preserving the Genetic Material', Srebarna, 8–12 October 1984, Collected Works, Sofia, BAS, 1986, 42–51 (In Russian, English summ.).
- ENVIRONMENTAL AGENCY, JAPAN 2000. Threatened Wildlife of Japan, Red Data Book, 2nd Edition. Publ. by Japan Wildlife Reserch Center, Tokyo, xi+123 pp. (In Japanese).
- GÄRTNER G., STOYNEVA M. & UZUNOV B. 2015. First record of *Palmellopsis texensis* (Groover et Bold) Ettl et Gärtner (Chlorophyta, Tetrasporales, Palmellopsidaceae) from Bulgaria, found in a 20 years dried soil of a herbarium specimen. – Algal. Stud. 148: 57–65.
- GÄRTNER G. & STOYNEVA M. P. 2003. First study of aerophytic cryptogams on monuments in Bulgaria. – Ber. nat.-med. Verein Innsbruck 90: 73–82.
- GÄRTNER G., STOYNEVA M. P., UZUNOV B. A., MANCHEVA A. & INGOLIC E. 2012. Ultrastructure of vegetative cells and autospores of aerophytic strain of *Vischeria stellata* (Chodat ex Poulton) Pascher (Eustigmatophyceae) from Bulgaria. – Fottea 12 (2): 273–280.
- GÄRTNER G., UZUNOV B. A., STOYNEVA M. P., KOFLER W. & INGOLIĆ E. 2010b. *Trochisciopsis tetraspora* f. *minor* forma nova (Chlorophyta, Chlorophyceae, Chlorococcaceae) a new terrestrial green algal taxon from Pirin Mt (Bulgaria), and its ultrastructure. – Phytion (Horn, Austria) 50 (1): 127–136.
- GEORGIEV G. 1948. General characteristics of plants of somebreeding places of Anophelinae in Bulgaria. – Voenno-Sanitarno Delo (Sofia) 2: 8–10 (In Bulgarian, Russian and Bulgarian summ.).
- GEORGIEV B., GEORGIEVA I. & DRAGANOV S. 1985. Algal benthos in Sozopol aquatoria. II. – Hidrobiologiya (Sofia) 25: 71–79.
- GUIDELINES FOR APPLICATION OF IUCN RED LIST CRITERIA AT REGIONAL LEVELS, VERSION 4. 2012. http://www.iucnredlist.org/documents/reg_guidelines_en.pdf
- GUIRY M. D. & GUIRY G. M. 2016. *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway, <http://www.algaebase.org>.

- GUTOWSKIA. & MOLLENHAUER D. 1996. Rote Liste der Zieralgen (Desmidiaceae) Deutschlands. – Schriftenreihe Vegetationsk. (Bonn-Bad-Godesberg) 28: 679–708.
- ISHEVA T. & IVANOV P. 2014. Diatom diversity of springs and spring-fed streams in Vitosha Nature Park, Bulgaria. – Ann. Univ. Sof. 99 (2): 26–46.
- ISTVANFFI G. 1890. Algae nonnullae a beato F. Frivaldszky in Rumelia lectae. – Termeszeter. Fuz. 13 (2–3): 67–77.
- IVANOFF H. 1912. Essai d'étude des Flagellates de Bulgarie. – Troudove na Bulgarskoto Prirodoizpitatelno Drouzhestvo (Sofia) 5: 114–141 (In Bulgarian, French summ.).
- IVANOV P. 2013. Epilithic diatom flora and evaluation of ecological status of the Mesta River during 2000–2009. – In: UZUNOV Y., PEHLIVANOV L., GEORGIEV B. B., VARADINOVA E. (eds), Mesta River: Biological quality elements and ecological status. Sofia, “Prof. Marin Drinov” Acad. Publ. House, 23–48.
- IVANOV P. & ECTOR L. 2006. *Achnantidium temniskovae* sp. nov. – a new diatom from River Mesta, Bulgaria. – In: OGNJANOVA-RUMENOVA N. & MANOYLOV K. (eds), Advances in Phycological Studies, Festschrift in honour of Prof. Dobrina Temniskova-Topalova, Pensoft & Univ. Publ. House, Sofia-Moscow, 147–154.
- IVANOV P. & KIRILOVA E. 2006. Benthic diatom assemblages from different substrates of the Iskar River, Bulgaria – In: WITKOWSKI A. (ed.), Proceedings of the 18th International Diatom Symposium. Międzyzdroje, Poland, 2–7 September 2004. Biopress Limited, Bristol, 107–124.
- IVANOV P., CHIPEV N. & TEMNISKOVA D. 2003A. Diatoms of the River Iskur (Sofia Plain) and their implication for water quality assessment, Part 1. The diatom flora, ecology and community structure. – J. Environ. Protect. Ecol. 2 (4): 288–300.
- IVANOV P., CHIPEV N. & TEMNISKOVA D. 2003B. Diatoms of the River Iskur (Sofia Plain) and their implication for water quality assessment, Part 2. Diatom indices and their implication for water quality monitoring. – J. Environ. Protect. Ecol. 2 (4): 301–310.
- IVANOV P., KIRILOVA E. & ECTOR L. 2006A. Diatom taxonomic composition of rivers in South and West Bulgaria. – Phytol. Balcan. 12 (3): 327–338.
- IVANOV P., KIRILOVA E. & ECTOR L. 2006B. Diatom species composition from the River Iskur in the Sofia region, Bulgaria – In: OGNJANOVA-RUMENOVA N. & MANOYLOV K. (eds), Advances in Phycological Studies, Festschrift in honour of Prof. Dobrina Temniskova-Topalova, Pensoft & Univ. Publ. House, Sofia-Moscow, 167–190.
- IVANOV P., KOURTEVA E. & MANCHEVA A. 2007. Diatom taxonomic composition of streams and small rivers in the Strouma basin, SW Bulgaria. – Phytol. Balcan. 13(3): 293–305.
- KAWECKA B. 1974. Vertical distribution of algae communities in Maljovica Stream (Rila, Bulgaria). – Polskie Archiwum Hydrobiologii 21 (1): 211–228.
- KAWECKA B. 1976. *Eunotia flexuosa* (Bréb.) Kütz. var. *rilensis* n. var. (Bacillariophyceae) in the Maljovica stream (Rila, Bulgaria). – Acta Hydrobiol. 18 (4): 425–427.
- KAWECKA B. 1980A. The ecological characteristics of diatom communities in the mountain streams of Europe. – In: ROSS R. (ed.), Proceedings of the 6th International Diatom Symposium, Koeltz Science Publ., Koenigstein, 425–434.
- KAWECKA B. 1980B. Sessile algae in European mountain streams. 1. The ecological characteristics of communities. – Acta Hydrobiol. 22 (4): 361–420.
- KAWECKA B. 1981. Sessile algae in European mountain streams. 2. Taxonomy and autecology. – Acta Hydrobiol. 23 (1): 17–46.

- KIRIAKOV I. 1972. The algal flora of the Smolyan Lakes (Chlorococcales). – *Izvestiya na Botanicheskiya Institut – BAN* (Sofia) 22: 97–117 (In Bulgarian, Russian and English summ.).
- KIRIAKOV I. 1974. Beitrag zur Algenflora Bulgariens. III. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 12 (4): 23–30 (In Bulgarian, Russian and German summ.).
- KIRIAKOV I. 1980. On some new *Scenedesmus* taxa (Chlorophyta, Chlorococcales). – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 19 (4): 61–68 (In Bulgarian, Russian and English summ.).
- KIRIAKOV I. 1981A. Biometrical and morphological research on *Sphaeroplea soleirolii* (Duby) Mont var. *crassisepta* (Rieth) Ramanthan (Chlorophyta). – *Nauchni Troudove 'P. Hilendarski'* 24 (1): 37–51 (In Bulgarian, Russian and German summ.).
- KIRIAKOV I. 1981B. Chorological data about Euglenophyta in Bulgaria. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 19 (4): 96–107 (In Bulgarian, Russian and English summ.).
- KIRIAKOV I. 1981C. A contribution to the algal flora of Bulgaria. IV. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 19 (4): 109–120 (In Bulgarian, Russian and English summ.).
- KIRIAKOV I. 1981D. A contribution to the algal flora of Bulgaria. V. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 19 (4): 121–140 (In Bulgarian, Russian and English summ.).
- KIRIAKOV I. 1982. New for the Bulgarian algal flora Ulotrichales (Chlorophyta). – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 20 (4): 67–77 (In Bulgarian, Russian and English summ.).
- KIRIAKOV I. 1983. Le genre *Strombomonas* Deflandre (Euglenophyta) en Bulgarie. – *Cryptogamie, Algol.* 4 (1): 127–139.
- KIRIAKOV I. Algae in the Lake of Sreburna (manuscript, In Bulgarian).
- KIRIAKOV I. 1985. Beitrag zur Algenflora Bulgariens. VII. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 23 (1): 17–24 (In Bulgarian, German and Russian summ.).
- KIRIAKOV I. 1989. Beitrag zur Algenflora Bulgariens. VIII. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 27 (6): 31–43 (In Bulgarian, Russian and German summ.).
- KIRIAKOV I. 1993. Some new and rarely reported for the Bulgarian flora euglenoids. – *Fitologija* (Sofia) 45: 31–40.
- KIRIAKOV I. 1994. Euglenophyta – variability, taxonomy, evolutionary trends, composition and chorology in Bulgaria. DSc Thesis, Plovdiv University, 262 pp. + Append. (In Bulgarian).
- KIRIAKOW I. 1970. Beitrag zur Algenflora Bulgariens. I. – *Nauchni Troudove Vissh Pedagogicheski Institut 'P. Hilendarski'* – Plovdiv 8 (2): 191–196 (In Bulgarian, Russian and German summ.).
- KIRIAKOW I. & VODENIČAROV D. 1984. Taxonomische Zusammensetzung der Algen in den Smoljan und Cair-Seen. I. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 22 (2): 55–88 (In Bulgarian, Russian and German summ.).
- KIRIAKOV I. & VODENIČAROV D. 1986. Die Gattung *Tetrastrum* Chod. 1895 (Chlorococcales) in den Gewässern Bulgariens. – *Arch. Hydrobiol. Suppl.* 73 (3), *Algol. Stud.* 44: 351–363.
- KIRIAKOW I. 1984A. Beitrag zur Algenflora Bulgariens. VI. – *Nauchni Troudove Plovdivski Ouniversitet 'P. Hilendarski'* 22 (1): 17–24 (In Bulgarian, Russian and German summ.).

- KIRJAKOW I. 1984b. Neue und selten mitgeteilte Vertreter der Mesoteniaceae, Gonatozygaceae und Desmidiaceae (Zygnemophyta) in der Algenflora Bulgariens. – Naouchni Troudove Plovdivski Ouniversitet 'P. Hilendarski' 22 (2): 89–105 (In Bulgarian, Russian and German summ.).
- KIRJAKOW I. & VODENIČAROV D. 1986. Die Algenflora im Einzugebiet der Flüsse Beli Osâm und Černi Osâm. – Naouchni Troudove Plovdivski Ouniversitet 'P. Hilendarski' 24 (1): 37–51 (In Bulgarian, Russian and German summ.).
- KIRYAKOV I. 1975. The genus *Siderocelis* Fott in Bulgaria – Distribution and ecology. – Fitologija (Sofia) 2: 50–59 (In Bulgarian, Russian and English summ.).
- KIRYAKOV I K., VODENICHAROV D. G. & PASKALEVA E. P. 1982. Phytoplankton composition in fish-raising reservoirs near Plovdiv. – Hidrobiologiya (Sofia) 17: 14–28 (In Bulgarian, Russian and English summ.).
- KIRYAKOV I. 1983. Notes on the Euglenophyta flora and its distribution in Bulgaria. – Fitologija (Sofia), 22: 46–60 (In Bulgarian, Russian and English summ.).
- KNAPPE J., GEISSLER U., GUTOWSKI A. & FRIEDRICH G. 1996. Rote Liste der limnischen Braunalgen (Fucophyceae) und Rotalgen (Rhodophyceae) Deutschlands. – Schriftenreihe Vegetationsk. (Bonn-Bad-Godesberg) 28: 609–623.
- KOL E. 1959. Sur la Microvégétation de la neige des montagnes de la Bulgarie. I. (Mont Pirin et Mont Rila). – Izvestiya na Botanicheskiya Institut (Sofia) 5: 377–385.
- KOMÁREK J. 1956. Some interesting blue-green algae from Bulgarian coast of Black Sea near Burgas. – Acta Univ. Carolinae, Ser. Biol. 2: 91 – 123.
- KRAUSE W. 1984. Rote Liste der Armleuchteralgen (Charophyta). – In: BLAB J., NOWAK E., TRAUTMANN W. & SUKOP H. (Hrsg), Rote Liste der gefährdeten Tiere und Pflanzen in der Bundesrepublik Deutschland. Kilda Verlag, Greven, 184–187.
- KRISTIANSEN J. & STOYNEVA M. P. 1998. Silica-scaled chrysophytes in Bulgaria. – Cryptogamie, Algal. 19 (1–2): 19–28.
- KRISTIANSEN J., STOYNEVA M. P. & VALCHANOVA M. [1997] 2002. Review of Bulgarian chrysophyte studies with Appendix of recorded species. – Ann. Univ. Sof. 90 (2): 43–57.
- KUSEL-FETZMANN E.-L. 1999. Zur Gefährdung der österreichischen Süßwasseralgen. – In: NIKFELD H. (ed), Rote Listen gefährdeter Pflanzen Österreichs, Bundesministerium für Umwelt, Jugend und Familie. Verlag Austria Medien Service GmbH, Graz, 267–275.
- LANGE-BERTALOT H. & STEINDORF A. 1996. Rote Liste der limnischen Kieselalgen (Bacillariophyceae) Deutschlands. – Schriftenreihe Vegetationsk. (Bonn-Bad-Godesberg) 28: 633–677.
- LENZENWEGER R. 1999. Rote Liste gefährdeter Zieralgen (Desmidiales) Österreichs. – In: Nikfeld H. (ed), Rote Listen gefährdeter Pflanzen Österreichs, Bundesministerium für Umwelt, Jugend und Familie. Verlag Austria medien service GmbH, Graz, 276–291.
- LUKAVSKÝ J., FURNADZHEVA S. & PILARSKI P. 2011. Cyanobacteria of the thermal spring at Pancharevo, Sofia, Bulgaria. – Acta Bot. Croat. 70 (2): 1–18.
- LUKAVSKÝ J. & CEPÁK V. 2014. New record of cryoseston in the Rhodope Mountains, Bulgaria. – Nova Hedwigia 99 (3–4): 453–466.
- LÜDSKANOVA J. & PASKALEVA E. 1975. Feeding of phytophagous fish – Silver Carp, Bughead and their hybrids from larval stage up to summerlings. – Institut po Ribna Promishlenost, Izvestiya na Filiala po Sladkovodno Ribarstvo – Plovdiv 11: 79–95 (In

- Bulgarian, Russian and English summ.).
- MICHAJLOW W. 1965. *Astasia bulgarica* sp. n. and *Astasia sophiensis* sp. n., Euglenoidina parasitica found in Bulgaria. – Acta Parasitol. Pol. 13 (2): 7–17.
- MOLLENHAUER D. & CHRISTENSEN T. 1996. Rote Liste der Schlauchalgen (Vaucheriaceae) Deutschlands. – Schriftenreihe Vegetationsk. (Bonn-Bad-Godesberg) 28: 625–632.
- NAIDENOV W. T. & SAIZ D. 1977. Das Plankton im Stauraum “Dospat” in den ersten Jahren nach der Aufspeicherung. – Hidrobiologiya (Sofia) 5: 24–37 (In Bulgarian, Russian and German summ.).
- NAIDENOV W. T. & SAIZ D. 1983. The plankton of stagnant waters in the Trigradsko-Yagodinski Region (Central Rhodopes). – Hidrobiologiya (Sofia) 19: 3–13 (In Bulgarian, Russian and English summ.).
- NATIONAL PARK PIRIN MANAGEMENT PLAN FOR THE PERIOD 2014–2023. BIOLOGICAL CHARACTERIZATION. ALGAE. <http://www.pu-pirin.com/images/Sreshti/27–28.10.14/1.14.1.1.Vodorasli.pdf>.
- NÉMETH J. 2005. Red List of algae in Hungary. – Acta Bot. Hung. 47 (3–4): 379–417.
- OGNJANOVA-RUMENOVA N. 2012. Diversity, distribution and ecology of diatoms from nine high mountain lakes, Rila National Park (Bulgaria). – In: Proceedings of International Conference Ecology. Interdisciplinary Science and Practice. Part one. Sofia, 25–26 October 2012, PublishScieSet-Eco, 80–87.
- OGNJANOVA-RUMENOVA N., BOTEV I. & KERNAN M. 2009. Benthic diatom flora in relation to chemical and physical factors in high mountain lakes in the Rila Mountains (Southwestern Bulgaria). – Adv. Limnol. 62: 145–158.
- OGNJANOVA-RUMENOVA N. G., PRESOLSKA Y. N. & BOTEV I. S. 2006. Abundance and species composition of diatoms and invertebrates in the Sedemte Ezera Cirque, Rila Mts. (Southwest Bulgaria). – Phytol. Balcan. 12 (1): 25–36.
- OGNJANOVA-RUMENOVA N. G., RASHKOVA L. E., BOTEV I. S. & TRICHKOVA T. A. 2013. Diversity of benthic diatoms in relation to environmental factors in two Bulgarian reservoirs. – Phytol. Balcan. 19 (3): 307–322.
- PALAMAR-MORDVINTSEVA & TSARENKO 2004. Red List of Charales of Ukraine. – Algologia 14 (4): 399–412 (In Russian, English summ.).
- PASSY-TOLAR S., PAN R. & LOWE R. 1999. Ecology of the major periphytic diatom communities from the Mesta River, Bulgaria. – Internat. Rev. Hydrobiol. 84 (2): 129–174.
- PETKOFF S. 1898–1899A. Contribution to the investigation of Bulgarian single-celled green freshwater algae. – Periodichno Spisanie Bulgarsko Knizhovno Drouzhestvo (Sofia) 57: 111–135 (In Bulgarian).
- PETKOFF S. 1898–1899B. Contribution to the investigation of Bulgarian single-celled green freshwater algae. – Periodichno Spisanie Bulgarsko Knizhovno Drouzhestvo (Sofia) 58: 595–618 (In Bulgarian).
- PETKOFF S. 1898–1899C. Contribution to the investigation of Bulgarian single-celled green freshwater algae. – Periodichno Spisanie Bulgarsko Knizhovno Drouzhestvo (Sofia) 59: 791–806 (In Bulgarian).
- PETKOFF S. 1900. Deuxième contribution à l'étude des algues d'eau douce en Bulgarie. – Trouдове na Bulgarskoto Prirodoizpitatelno Drouzhestvo (Sofia) 1: 1–21 (In Bulgarian, French summ.).
- PETKOFF S. 1904. Troisième contribution à l'étude des algues d'eau douce de Bulgarie. – Periodichno Spisanie na Bulgarskoto Knizhovno Drouzhestvo (Sofia) 16 (1–2): 385–

416 (In Bulgarian, French summ.)

- PETKOFF S. 1905A. Contribution supplémentaire à la flore algologique de Rila-planina. – *Periodichno Spisanie na Bulgarskoto Knizhovno Drouzhestvo* (Sofia) 66: 222–239 (In Bulgarian, French summ.).
- PETKOFF S. 1905B. Quelques algues marines et saumâtres sur le littoral de la Mer Noire, depuis Atliman jusqu'à Douran-Koulak. – *Ann. Univ. Sof.* 1: 168–180 (In Bulgarian).
- PETKOFF S. 1906A. Cinquième contribution à l'étude des algues d'eau douce de Bulgarie. – *Nuova Notar.* 17: 151–161.
- PETKOFF S. 1907B. Quatrième contribution à l'étude des algues d'eau douce de Bulgarie. – *Sbornik Narodni Oumotvoreniya* 22/23 (3): 1–23 (In Bulgarian, French summ.).
- PETKOFF S. [1907] 1908. Cinquième contribution à l'étude des algues d'eau douce de Bulgarie. – *Periodichno Spisanie na Bulgarskoto Knizhovno Drouzhestvo* (Sofia) 68: 603–624 (In Bulgarian, French summ.).
- PETKOFF S. 1908–1909. Les Algues de la Bulgarie du SO et leur dispersion. – *Ann. Univ. Sof.* 5 (3): 1–88 (in Bulgarian, French summ.).
- PETKOFF S. 1911A. Contribution supplémentaire à l'étude des algues du sommet Kom et ses environs. – *Ann. Univ. Sof.* 6: 1–15 (In Bulgarian, French summ.).
- PETKOFF S. 1911B. La rive danubienne basse et maregaleuse de Bulgarie. – *Letopis na Bulgarskoto Knizhovno Drouzhestvo* (Sofia) 11: 72–103 (In Bulgarian, French summ.).
- PETKOFF S. 1911C. Recherches préliminaires concernant la flore des étangs sur la rive bulgare du Danube. – *Ann. Univ. Sof.* 6 (2): 3–45 (In Bulgarian, French summ.).
- PETKOFF S. 1919. Matériaux pour la flore algologique du littoral bulgare de la mer Noire. – *Spisanie na BAN* 17 (8): 25–135 (in Bulgarian).
- PETKOFF S. 1922. La végétation des eaux de Vitocha. Contribution à l'hydrologie et l'hygiène de la capitale. – *Ann. Univ. Sof.* 18: 1–272 (In Bulgarian, French summ.).
- PETKOFF S. 1925. La flore algologique du Mont Pirin-Planina. – *Sbornik BAN* 20: 1–128 (In Bulgarian, French summ.).
- PETKOFF S. 1928. Note supplémentaire à la flore algologique du mont Vitocha et ses environs. – *Izvestiya na Bulgarskoto Botanichsko Drouzhestvo* (Sofia) 2: 93–96 (In Bulgarian, French summ.).
- PETKOFF S. 1929A. Brief characteristics of the lower vegetation in the town of Lovech and its vicinities. – In: *Lovech and Lovchansko*, Book 1, Sofia, 43–52 (In Bulgarian).
- PETKOFF S. 1929B. Quelques espèces nouvelles et caractéristiques pour la flore algologique du mont Pirin. – *Izvestiya na Bulgarskoto Botanichsko Drouzhestvo* (Sofia) 3: 29–41.
- PETKOFF S. 1931. Note supplémentaire à la flore algologique d'eau douce sur les côtes Bulgares de la Mer Noire. – *Izvestiya na Bulgarskoto Botanichsko Drouzhestvo* (Sofia) 4: 103–115.
- PETKOFF S. 1932A. Notes sur la flore algologique du village de Gêravna et ses environs. – *Trouдове na Bulgarskoto Prirodoizpitatelno Drouzhestvo* (Sofia) 15–16: 11–23 (In Bulgarian, French summ.).
- PETKOFF S. 1932B. Sur la flore algologique des côtes bulgares de la Mer Noire. – *Izvestiya na Bulgarskoto Botanichsko Drouzhestvo* 5: 117–127.
- PETKOFF S. 1933. La végétation des sources d'eau douce potables dans la ville de Lovetch et ses environs. – *Izvestiya na Bulgarskoto Geografsko Drouzhestvo* (Sofia) 1: 277–286 (In Bulgarian, French summ.).
- PETKOFF S. 1934. Deux genres nouveaux pour la flore algologique de Bulgarie. – *Izvestiya*

- na Bulgarskoto Botanicheskoto Drouzhestvo (Sofia) 6: 117–120.
- PETKOFF S. 1934–1935. Les Zygnemales de la Bulgarie et leur dispersion. – Ann. Univ. Sof. FMF 31 (3): 1–13.
- PETKOFF S. 1938. La flore aquatique et le dessèchement de la plaine marécageuse entre le lac de Devna et le village de Soultanlar et leur Importance pour celle-ci. – Spisanie na BAN 57: 43–86 (In Bulgarian, French summ.)
- PETKOFF S. 1939A. La végétation des eaux de Rila au point de vue biologique. Contribution supplémentaire à l'hydrologie et l'hygiène de la capitale bulgare. – Spisanie na BAN 59: 1–82 (In Bulgarian, French summ.).
- PETKOFF S. 1939B. Notes sur la flore du parc de Madara et sa grotte. – Troudove na Bulgarskoto Prirodoizpitatelno Drouzhestvo 18: 91–103 (In Bulgarian, French summ.)
- PETKOFF S. 1943A. Encore quelques espèces d'Algues d'eau douce, marine et saumâtre appartenant à la flore algologique des côtes bulgares de la mer Noire. – Izvestiya na Bulgarskoto Botanicheskoto Drouzhestvo (Sofia) 9: 52–56.
- PETKOFF S. 1943B. La flore des grottes souterraines, des grottes ouvertes et de leurs étangs environnants dans certaines régions calcaires de Bulgarie. – Spisanie na Bulgarskata Akademiya na Naoukite i Izkoustvata 68 (5): 109–188 (In Bulgarian, French summ.).
- PETKOFF S. 1950A. Contribution supplémentaire à la flore algologique des Rhodopes. – Izvestiya na Botanicheskaya Institut – BAN (Sofia) 1: 452–473 (In Bulgarian, French summ.).
- PETKOFF S. 1950B. La flore algologique des vallées autour du Mont Pirin et leurs sources thermales. – Izvestiya na Botanicheskaya Institut – BAN (Sofia) 1: 441–451 (In Bulgarian, Russian and French summ.).
- RASSI P. & VÄISÄNEN R. 1987. Threatened plants and animals of Finland. – Helsinki, Govern. Print. Genre, 82 pp.
- ROTT E. & PERNEGGER L. 1994. Epilithic cyanophytes from soft-water mountain lakes in the Central Alps (Austria) and in the Pirin Mountains (Bulgaria) with special reference to the taxonomy and vertical zonation. – Algol. Stud. 75: 249–264.
- ROUBAL J. 1947. The Desmidiaceae of Pirin planina, a high-mountain region in Bulgaria. – Stud. Bot. Českoslov. 8: 1–68.
- SAIZ D. 1977. Die jahreszeitliche Dynamik Phytoplanktons im Stauraum „Batak“. – Hidrobiologiya (Sofia) 5: 52–61 (In Russian, German summ.).
- SAIZ D. 1981. Dynamik und Verteilung des Phytoplanktons im See Durankulak. – Hidrobiologiya (Sofia) 15: 49–61 (In Russian, German summ.).
- SASCHEV G. & ANGELOV A. 1957/1958. Untersuchungen über den Burgas-See (Waja) in Beziehung zur Verbesserung seiner Fischwirtschaftlichen Ausbeutung. – Ann. Univ. Sof. 51 (1): 161–210 (in Bulgarian, Russian and German summ.).
- SEMERDZHIEV I., NIKIFOROV I., PROFIROV D., KIRIAKOV I. & NIKOLOVA A. 1980. Botanical characteristics and curative properties of the algal community which develops in Haskovo mineral water. – In: "Purva Naouchno-Prakticheska Konferentsiya 'Haskovski Mineralni Bani', 31.X.–1.XI.80", 135–142 (In Bulgarian).
- SIEMIŃSKA J. 2006. Red list of the Algae in Poland. – In: MIREK Z., ZARZYCKI K., WOJEWODA W. & SZELAŃ Z. (eds), Red List of plants and fungi in Poland. Publ. House PAN, Kraków, 37–52.
- STANCHEVA R. & IVANOV P. 2011. *Cymbella orientalis* var. *delicatula* var. nov. (Bacillariophyta), a new epilithic stream diatom from Bulgaria. – Nova Hedwigia 93 (3–4): 453–464.

- STANCHEVA R., IVANOV P. & MANCHEVA A. 2009. Application of epilithic diatoms in water quality assessment of the rivers Vit and Osum, Bulgaria. – *Diatomededelingen* 33: 114–118.
- STANCHEVA R., MANCHEVA A. & IVANOV P. 2007. Taxonomic composition of the epilithic diatom flora from rivers Vit and Osum, Bulgaria. – *Phytol. Balcan.* 13 (1): 53–64.
- STOYANOV P., TENEVA I., BELKINOVA D. & MLADENOV R. 2016. Filamentous cyanoprockaryotes (Cyanoprockaryota/Cyanobacteria) in standing waters of Bulgaria: diversity and ecology. – *J. BioSci. Biotechnol.* 5 (1): 19–28
- STOYNEVA M. 1995A. Algal flora of the Aldomirovtzi and Dragoman marshes. – *Ann. Univ. Sof.* 88 (2): 21–27.
- STOYNEVA M. 1995B. Algal flora of the Danube river (Bulgarian sector) and adjoined water basins. V. Algal flora of the water bodies adjacent to the Lake of Srebarna. – *Ann. Univ. Sof.* 88 (2): 5–19.
- STOYNEVA M. 1998A. Algae. – In: MICHEV T. M., GEORGIEV B. B., PETROVA A. V. & STOYNEVA M. P. (eds), 1998. Biodiversity of the Srebarna Biosphere Reserve. Checklist and bibliography, Sofia, Co-publ. Context & Pensoft, 10–37.
- STOYNEVA M. P. 1998B. On the distribution of *Pseudokirchneriella danubiana* (Hind.) Hind. and *Pseudokirchneriella roselata* (Hind.) Hind. in Bulgaria. – *Biologia, Bratislava* 53/4: 433–435.
- STOYNEVA M. P. 1998C. Spring-phytoplankton of the River Danube in the year 1990. – *Large rivers* 11 (2), *Arch. Hydrobiol. Suppl.* 115 (2): 167–194.
- STOYNEVA M. P. 2000A. Algological studies of Bulgarian coastal wetlands. I. Species composition of the phytoplankton of Durankulak and Shabla-Ezeretz lakes. – *Ann. Univ. Sof.* 91 (2): 27–48.
- STOYNEVA M. P. 2000B. Planktic green algae of Bulgarian coastal wetlands. – In: HAMILTON P., KLING H. & DOKULIL M. T. (eds), *Cyanoprockaryotes and Chlorophytes across lake trophic states*, *Hydrobiologia* 438: 25–41.
- STOYNEVA M. P. 2002. Review of algological studies in the Bulgarian sector of River Danube (848–375 km) with a List of recorded species. I. – *Phytol. Balc.* 8 (3): 327–340.
- STOYNEVA M. P. 2003A. Review of algological studies in the Bulgarian sector of River Danube (848–375 km) with a List of recorded species. II. – *Phytol. Balc.* 9 (1): 19–40.
- STOYNEVA M. P. 2003B. Survey on green algae of Bulgarian thermal springs. – *Biologia, Bratislava* 58 (4): 563–574.
- STOYNEVA M. P. 2008. *Lobocystis michevii* (Chlorophyceae) – a new green algal species from the Bourgas salines (Bulgaria). – *Phyton (Horn, Austria)* 48 (1): 79–86.
- STOYNEVA M. 2010. Phytoplankton of the wetland Pomorie Lake. – In: RADEV R., HIEBAUM G., MICHEV T. & PROFIROV L. (compilers), *Collection of Reports for the Integrated Management Plan for the Protected area Pomorie Lake BG0000152 and Protected area Pomorie BG0000620, Edition of “Zeleni Balkani” in the framework of the project “Pomorie lake – conservation, restoration and sustainable development” GEF 054774, ISBN 978–954–9433–10–4, 48–60 (In Bulgarian, English summ.)*.
- STOYNEVA M. 2014. Contribution to the knowledge on the biodiversity of aero- and hydrobiontic prokaryotic and eukaryotic algae in Bulgaria. DrSc Thesis, Sofia Univeristy “St Kliment Ohridski”, 825 pp. + Append. (In Bulgarian, English summ.);

- <https://www.uni-sofia.bg/index.php/bul/universitet_t_fakulteti/biologicheski_fakultet2/doktoranti/pridobivane_na_nauchna_stepen_doktor_na_naukite/arhiv/prof_d_r_majya_petrova_stojneva_biologicheski_fakultet>
- STOYNEVA M. P. & DRAGANOV ST. J. 1994. Algal flora of the River Danube (Bulgarian sector) and its adjoined water basins. IV. Contribution to the algal flora of some adjoined water basins. – Ann. Univ. Sof. 84 (2): 15–24.
- STOYNEVA M. P. & GÄRTNER G. 2004. Taxonomic and ecological notes to the List of green algal species from Bulgarian thermomineral waters. – Ber. nat.-med. Verein Innsbruck 91: 67–89.
- STOYNEVA M. P. & GÄRTNER G. 2009. Some remarkable taxa of the aeroterrestrial algal flora, newly recorded for Bulgaria. – In: IVANOVA D. (ed.), Plant, fungal and habitat diversity investigation and conservation, Proceedings IV Balkan Botanical Congress, Sofia, 20–26.06.2006, 122–127.
- STOYNEVA M. P. & TEMNISKOVA-TOPALOVA D. N. 2007. Cyanoprokaryotes and algae of Bulgarian non-lotic wetlands and their biodiversity. – In: MICHEV T. M. & STOYNEVA M. P. (eds). Inventory of Bulgarian Wetlands and their Biodiversity. Part 1: Non-Lotic Wetlands. Publ. House Elsi-M, Sofia, 155–167.
- STOYNEVA M. P. & UZUNOV B. A. 2011. First record of the rare species *Phaeoschizochlamys mucosa* (Phaeosaccionaceae) in Bulgaria. – Phytol. Balc. 17 (2): 169–172.
- STOYNEVA M. P., TEMNISKOVA-TOPALOVA D. N., UZUNOVA K. G & NEDELKOVA M. G. 2001. Long-term compositional response of the algal flora of the Boyana swamp (western Bulgaria) to the environmental changes. – Ann. Univ. Sof. 93 (2): 43–72.
- TEMNISKOVA D. 1959. The algal flora and vegetation of the rivers Iskur and Palakariya in the vicinity of the reservoir 'Stalin'. – Izvestiya na Stoudentskoto Naouchno Drouzhestvo (Sofia), 213–248 (In Bulgarian).
- TEMNISKOVA D. & KIRJAKOV I. 2006. Biodiversity of algae in the Rhodopes (Bulgaria). – In: BERON P. (ed), Biodiversity of Bulgaria. 3. Biodiversity of Western Rhodopes (Bulgaria and Greece) I. Pentsoft & Nat. Mus. Natur. Hist., Sofia, 133–176.
- TEMNISKOVA-TOPALOVA D. N. & DIMITROVA V. P. 1983. Diatoms from Chaira Lakes and Smoljanski Lakes, Rhodopes, Bulgaria. – Fitologiya (Sofia) 23: 63–69 (In Bulgarian, English summ.).
- TEMNISKOVA-TOPALOVA D. & MISALEVA N. 1982. Diatoms from the Bulgarian part of Ograjden Mountain. – Fitologiya (Sofia) 20: 50–64 (In Bulgarian).
- TEMNISKOVA-TOPALOVA D. & PETROVA M. [1965/1966] 1967. Die Eugleninen in den Reisfeldern um Plowdiw. – Ann. Univ. Sof. 60 (2): 27–56 (In Bulgarian, Russian and German summ.).
- TEMNISKOVA D. T., STOYNEVA M. P. & KIRJAKOV I. K. 2008. Red List of the Bulgarian algae. I. Macroalgae. – Phytol. Balcan., 14 (2) 193–206.
- TEMNISKOVA-TOPALOVA D. 1975. Über die Flora von Euglenophyta und Volvophyceae in Bulgarien. V. – Fitologiya (Sofia) 2: 59–67 (In Bulgarian, German summ.).
- TEMNISKOVA-TOPALOVA D. 1977. Neue Blaualgen und Grünalgen für die Flora Bulgariens. – Ann. Univ. Sof. 68: 35–39 (In Bulgarian, Russian and German summ.).
- TEMNISKOVA D. & STOYNEVA M. 2011. Algology. Volume 1. General part. Pensoft, Sofia-Moscow, 1–512. ISBN 978–954–642–606–2.
- TEMNISKOVA D. & STOYNEVA M. 2011. Algology. Volume 2. Systematic part. Pensoft, Sofia-

Moscow, 513–1040. ISBN 978–954–642–607–9.

THE IUCN RED LIST OF THREATENED SPECIES. VERSION 2015–4. www.iucnredlist.org.

UZUNOV B. A., STOYNEVA M. P. & GÄRTNER G. 2007. Review of the studies on aero-terrestrial cyanoprokaryotes and algae in Bulgaria with a Checklist of recorded species. I. – *Phytol. Balcan.* 13 (1): 65–73.

UZUNOV B., STOYNEVA M. P. & GÄRTNER G. 2008A. First record of *Coelastrella* species (Chlorophyta: Scenedesmaceae) in Bulgaria. – *Ber. nat. med. Verrein Innsbruck* 95: 27–34.

UZUNOV B. A., STOYNEVA M. P. & GÄRTNER G. 2008B. Review of the studies on aero-terrestrial cyanoprokaryotes and algae in Bulgaria with a Checklist of recorded species. II. – *Phytol. Balcan.* 14 (1): 11–18.

UZUNOV B. A., GÄRTNER G., STOYNEVA M. P. & INGOLIĆ E. 2010. First record of coenocytic coccal green soil algae from Pirin Mt. – *Ecological Engineering and Environmental Protection* 1: 53–57.

VALCHANOVA M. & STOYNEVA M. 2000. Phytoplankton of the peat-bog Tschokljovo (South-western Bulgaria). – *Ann. Univ. Sof.* 91 (2): 87–103.

VALKANOV A. 1926. Beitrag zur Kenntnis der Flagellaten Bulgariens. – *Izvestiya na Bulgarskoto Botanicheskoto Drouzhestvo* (Sofia) 1: 105–120 (In Bulgarian, German summ.).

VALKANOV A. 1928. Protistenstudien II. Notizen über die Flagellaten Bulgariens. – *Arch. Protistenkd.* 63 (3): 419–450.

VALKANOV A. 1955. Notes on the alga *Pithophora kewensis* Wittr. – *Izvestiya na Botanicheskaya Institut* 4: 119–125 (In Bulgarian).

VALKANOV A. 1962. Ueber die Entwicklung von *Hymenomonas coccolithophora* Conrad. – *Rev. Algol.* 6: 218–226.

VALKANOV A. 1964. *Korsikoviella vaucheriae*. n. g. n. sp. (Protococconeae) und ihre Entwicklung. – *Arch. Mikrobiol.* 48: 247–258.

VODENIČAROV D. 1958. Beitrag zur Algenflora Bulgariens. – *Izvestiya na Botanicheskaya Institut – BAN* (Sofia) 6: 431–438 (In Bulgarian, Russian and German summ.).

VODENIČAROV D. 1960. Beitrag zur Algenflora Bulgariens. II. – *Ivestiya na Botanicheskaya Institut – BAN* (Sofia) 7: 321–331 (In Bulgarian, Russian and German Summ.).

VODENIČAROV D. 1962. Beitrag zur Algenflora Bulgariens. IV. – *Izvestiya na Botanicheskaya Institut – BAN* (Sofia) 10: 145–159 (In Bulgarian, Russian and German summ.).

VODENIČAROV D. 1963. Beitrag zur Kenntnis der Gattung *Micractinium* Fries. – *Compt. Rend. Acad. bulg. Sci.* 16 (3): 305–308.

VODENIČAROV D. 1967. Beitrag zur Algenflora Bulgariens. VI. – *Izvestiya na Botanicheskaya Institut – BAN* (Sofia) 27: 231–237 (In Bulgarian, Russian and German summ.).

VODENIČAROV D. 1970. *Centritactus heteracanthus* sp. nov. – *Vish Pedagogicheski Institut – Plovdiv, Natura – Botanika* 3 (1): 127–130.

VODENIČAROV D. 1972. Untersuchungen über die Morphologie und die Systematik der Gattung *Botrydium* Wallr. – *Izvestiya na Botanicheskaya Institut – BAN* (Sofia) 22: 69–96 (In Bulgarian, Russian and German summ.).

VODENIČAROV D. G. 1989. Die Gattung *Neglectella* Vodenic. et Bendl. und zwei neue Gattungen: *Neglectellopsis* gen. nov. und *Skujaster* gen. nov. (Chlorophyta, Chloro-

- coccales). – Arch. Hydrobiol. Suppl. 82, 4 (Algol. Studies 57): 409–424.
- VODENIČAROV D. & BENDERLIEV K. 1971. *Kentrosphaera gibberosa* sp. nov. – Naouchni Troudove na Vishiya Pedagogicheski Institut “P. Hilendarski” 9 (1): 119–127 (In Bulgarian).
- VODENIČAROV D. & BENDERLIEV K. 1971. *Neglectella* gen. nov. (Chlorococcales). – Nova Hedwigia 21: 801–815.
- VODENIČAROV D. & KIRIAKOV I. 1970. New species of *Mougeotia* and *Spirogyra* from South Bulgaria. – Izvestiya na Prirodonaouchniya Mouzey – Plovdiv 1: 19–30 (In Bulgarian, Russian and German summ.).
- VODENIČAROV D. & KIRIAKOV I. 1986. Die Algen im Topolnica-Einzugsgebiet. – Naouchni Troudove Plovdivski Ouniversitet “P. Hilendarski” 24 (1): 17–35 (In Bulgarian, Russian and German summ.).
- VODENIČAROV D. & KIRIAKOV I. 1987. The algae in the Cherni Osum river basin including the Steneto biosphere reserve. – In: Proceedings of the Fourth National Conference – Botany 1987, 140–147 (In Bulgarian).
- VODENIČAROV D. 1960A. Investigation of the genus *Botrydium* Wallr. in Bulgaria. – Ukrainskiy Botanichniy Zhurnal (Kiiv) 17 (2): 61–66 (In Ukrainian, Russian and English summ.).
- VODENIČAROV D. 1960B. New green algae. – Ukrainskiy Botanichniy Zhurnal (Kiiv) 17 (2): 89–94 (In Ukrainian, Russian and English summ.).
- VODENIČAROV D. & VODENIČAROV M. 2000. Biodiversity of fresh water algae in the Rila National Park. – In: SAKALIAN M. (ed.), Biological Diversity of the Rila National Park, Pensoft, 137–148.
- VODENIČAROV D., DRAGANOV S. & TEMNSIKOVA D. 1971. Flora of Bulgaria. Algae. Sofia, Narodna Prosveta, 644 pp. (In Bulgarian).
- VODENIČAROV D., KIRIAKOV I. & RUSSEVA J. 1974. Composition and dynamics of the phytoplankton in the ponds with polycultural rearing of carp and mineral fertilization. – Izvestiya na Tsentura za Naouchnoizsledovatelska Razvoyna i Razvoyna i Proektantska Deynost po Ribno Stopanstvo, Filial po Promishleno Ribovudstvo – Plovdiv 10: 17–34 (In Bulgarian).
- VODENIČAROV D. G. & BENDERLIEV K. M. 1971. *Trochiscia stellata* sp. nov. (Chlorococcales). – Vish Pedagogicheski Institut – Plovdiv, Natura – Botanika 4 (1): 111–114.
- VODENITSCHAROV D. 1964. Beitrag zur Algenflora Bulgariens. V. – Naouchni Troudove Vish Pedagogicheski Institut “P. Hilendarski” – Plovdiv 11 (2): 75–79 (In Bulgarian, Russian and German summ.).
- WODENIČAROFF D. [1957/1958] 1958. Materialien zur Algenflora im Becken des Iskerflusses. – Ann. Univ. Sof. 51 (1): 113–123 (In Bulgarian, Russian and German summ.).
- WODENIČAROFF D. [1957/1958] 1959/1960. Beitrag zur Erforschung der Wasser- und Algenflora und Vegetation auf dem Ljulingebirge. – Ann. Univ. Sof. 51 (1): 61–82 (In Bulgarian, Russian and German summ.).
- WODENIČAROV D. G. & KABASSANOVA M. S. 1970. Biometrische Untersuchungen über die Naturalpopulationen von Jochalgen der Fam. Desmidiaceae. – Izvestiya na Botanicheskiya Institut – BAN (Sofia) 20: 205–217 (In Bulgarian, Russian and German summ.).
- WODENITSCHAROV D. 1961. *Oedogonium parvulum* sp. nov. – Feddes Repertorium (Berlin)

64 (1): 82–85

- WODENITSCHAROV D. [1958/1959] 1960a. Beitrag zur Algenflora Bulgariens. III. – Ann. Univ. Sof. 52 (1): 137–151 (In Bulgarian, Russian and German summ.).
- WODENITSCHAROV D. [1958/1959] 1960b. Über die Systematik und Verbreitung von drei seltenen Cyanophyceen. – Ann. Univ. Sof. 52 (1): 105–129 (In Bulgarian, Russian and German summ.).
- WODENITSCHAROV D. 1962. Hydrobotanische Untersuchungen über das Urdino-Kar (N-W Rila-Gebirge). – Ann. Univ. Sof. 54–55 (1): 139–211 (In Bulgarian, German summ.).
- WODENITSCHAROV D. 1964. Beitrag zur Algenflora Bulgariens. V. – Nauchni Troudove Vish Pedagogicheski Institut “P. Hilendarski” – Plovdiv 2 (2): 75–79.
- WOJTAL A., OGNJANOVA-RUMENOVA N., WETZEL C. E., HINZ F., PIATEK J., KAPETANOVIC T. & BUCZKO K. 2014. Diversity of the genus *Genkalia* in high altitude lakes – taxonomy, distribution and ecology. – Fottea 14 (2): 225–239.

Accepted 26.01.2016